















	DETAILS	PRODUCTION / APPLICATION	CARE INSTRUCTIONS / ACCESSORIES
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather <p>-----</p> <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <p>-----</p> <p>Temp: 305° F/150° C Pressure: Medium Time: 10-15 sec. Peel: HOT or COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Lightly siliconed nylon <p>-----</p> <p>Blade: 45°/60° Composition: PU Microns/Mils: 85/3.5</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <p>-----</p> <p>Temp: 320° F/160° C Pressure: Light-Medium Time: 10sec. Peel: HOT or COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Sublimated polyester <p>-----</p> <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <p>-----</p> <p>Temp: 305° F/150° C Pressure: Medium Time: 15sec. Peel: HOT or COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Lycra® / Spandex <p>-----</p> <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <p>-----</p> <p>Temp: 305° F/150° C Pressure: Medium-Firm Time: 15sec. Peel: HOT or COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • <p>-----</p> <p>Blade: 45°/60° Composition: PU Microns/Mils: 90/3.5</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <p>-----</p> <p>Temp: 305° F/150° C Pressure: Medium-Firm Time: 15sec. Peel: HOT or COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather <p>-----</p> <p>Blade: 45°/60° Composition: PVC Microns/Mils: 160-190/6.3-7.5</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <p>-----</p> <p>Temp: 305° F/150° C Pressure: Medium-Firm Time: 15sec. Peel: COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Sublimated polyester <p>-----</p> <p>Blade: 45°/60° Composition: PVC Microns/Mils: 110/4.3</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <p>-----</p> <p>Temp: 320° F/160° C Pressure: Medium Time: 15-20 sec. Peel: COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm / mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Turn inside out <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>

	DETAILS	PRODUCTION / APPLICATION	CARE INSTRUCTIONS / ACCESSORIES
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Sublimated polyester <hr/> <p>Blade: 45°/60° Composition: PVC Microns/Mils: 75/3.0</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 305° F/150° C Pressure: Medium Time: 10-15 sec. Peel: COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Hand wash in cold water • Do not bleach • Do not dry clean • Hang item to dry <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
*Metallic is a unique product – cracking and delamination may occur after washing. Results are not predictable.			
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% uncoated polyester • Poly/cotton blends • Lightly siliconed nylon • Leather <hr/> <p>Blade: 45°/60° Composition: PVC Microns/Mils: 410/16.1</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 305° F/150° C Pressure: Medium Time: 10-15 sec. Peel: COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm / mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Turn inside out <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Sublimated polyester <hr/> <p>Blade: 45°/60° Composition: PVC Microns/Mils: 410/16.1</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 320° F/160° C Pressure: Medium Time: 15-20 sec. Peel: COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm / mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Turn inside out <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Lycra®/spandex • Leather <hr/> <p>Blade: 45°/60° Composition: PVC Microns/Mils: 135-180/5.3-7.1</p>	<ul style="list-style-type: none"> • Remove Liner • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 305° F/150° C Pressure: Medium Time: 5 sec. Peel: HOT</p> <p>Cover and apply for an additional 5 seconds For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm / mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Turn inside out <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Lycra®/spandex • Leather <hr/> <p>Blade: 45°/60° Composition: PVC Microns/Mils: 135-180/5.3-7.1</p>	<ul style="list-style-type: none"> • Remove Liner • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 305° F/150° C Pressure: Medium Time: 5 sec. Peel: HOT</p> <p>Cover and apply for an additional 5 seconds For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm / mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Turn inside out <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Lightly siliconed nylon • Lycra®/spandex • Sublimated polyester <hr/> <p>Blade: 60° Composition: PU Microns/Mils: 325/12.8</p>	<ul style="list-style-type: none"> • Cut in reverse • Weed • Preheat garment for 2-3 seconds <hr/> <p>Temp: 320° F/160° C Pressure: Firm Time: 10-15 sec. Peel: HOT</p> <p>Can be used as a top layer for other materials. Not recommended to be layered on itself</p>	<ul style="list-style-type: none"> • Wait 24 hours before first wash • Machine wash warm / mild detergent • Do not bleach • Do not dry clean • Dry at normal setting • Turn inside out <hr/> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
<p>Distributed by:</p> <div>  <p>Sign, Graphics, Awning & Marine Canvas Supplies 125 Amara Street, East Providence, RI 02915 www.nepcosignsupply.com</p> </div> <div> <p>800-327-7562 401-438-4550 ~ FAX 401-438-1533</p> <p>Daily Deliveries Throughout New England and Nearby New York</p> </div>			