**Bonded Polyester Thread** 



#### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: Bonded Polyester Thread SYNONYMS: Polyethyleneterephthalate

PRODUCT CODES: N/A

MANUFACTURER: Coats American DIVISION: Specialty Threads

ADDRESS: 630 American Thread Rd.

Marion, NC 28752

EMERGENCY PHONE: (828) 756-4111 OTHER CALLS: (828) 756-4111

FAX PHONE: N/A

PRODUCT COMPOSITION: Polyester Fiber CHEMICAL FAMILY: Polyethyleneterephthalate

PRODUCT USE: Top and Bottom Thread PREPARED BY: Andrew Mashburn

**SECTION 1 NOTES:** 

#### **SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS**

**INGREDIENT:** 

Polyethylene terephthalate

 CAS NO.
 % WT
 % VOL
 SARA 313 REPORTABLE

 25038-59-9
 100%
 N/A
 N/A

FILE NO.: msds012

MSDS date:8/18/08

 ppm
 mg/m3

 OSHA PEL-TWA:
 N/A
 N/A

OSHA PEL STEL : OSHA PEL CEILING:

ACGIH TLV-TWA: ACGIH TLV STEL: ACGIH TLV CEILING:

**SECTION 2 NOTES:** 

#### **SECTION 3: HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW: N/A** 

**ROUTES OF ENTRY: N/A** 

POTENTIAL HEALTH EFFECTS

EYES: N/A

SKIN: N/A

INGESTION: N/A

INHALATION: N/A

**ACUTE HEALTH HAZARDS:** 

**CHRONIC HEALTH HAZARDS: N/A** 

PAGE 1 OF 4

**Bonded Polyester Thread** 

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A

**CARCINOGENICITY** 

OSHA: N/A OTHER: N/A ACGIH: N/A

NTP: N/A

IARC: N/A

FILE NO.: msds012

MSDS date:8/18/08

**SECTION 3 NOTES: N/A** 

**SECTION 4: PHYSCIAL DATA** 

BOILING POINT: N/A
VAPOR PRESSURE: N/A
VAPOR DENSITY: N/A

**SOLUBILITY IN WATERL: INSOLUBLE** 

APPEARANCE AND ODOR: THREAD ON PACKAGES/NO ODOR

SPECIFIC GRAVITY(H<sub>2</sub>O = 1): N/A
% VOLATILE BY VOLUME: N/A
EVAPORATION RATE: N/A

pH: N/A

**SECTION 5: FIRST AID MEASURES** 

EYES: N/A SKIN: N/A

INGESTION: N/A
INHALATION: N/A

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: N/A

**SECTION 5 NOTES: N/A** 

**SECTION 6: FIRE-FIGHTING MEASURES** 

FLAMMABLE LIMITS IN AIR, UPPER: N/A (% BY VOLUME) LOWER: N/A

FLASH POINT: N/A

F: C:

METHOD USED: N/A

**AUTOIGNITION TEMPERATURE: N/A** 

F: C:

NFPA HAZARD CLASSIFICATION

HEALTH: N/A FLAMMABILITY: N/A REACTIVITY: N/A

OTHER: N/A

**Bonded Polyester Thread** 

HMIS HAZARD CLASSIFICATION

HEALTH: N/A PROTECTION: N/A

FLAMMABILITY: N/A

REACTIVITY: N/A

FILE NO.: msds012

MSDS date:8/18/08

**EXTINGUISHING MEDIA: WATER** 

SPECIAL FIRE FIGHTING PROCEDURES: Fire fighters should wear self-contained breathing apparatus

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

HAZARDOUS DECOMPOSITION PRODUCTS: No unusual combustion gases have been observed; Combustion products are comparable to those of other organic materials.

SECTION 6 NOTES: POLYESTER WILL BEGIN TO MELT AT TEMPERATURES APPROACHING 260°C/500°F

### **SECTION 7: HANDLING AND STORAGE**

HANDLING AND STORAGE: We are not aware of any special precautions required in the handling or storage of the thread.

OTHER PRECAUTIONS: None known

**SECTION 7 NOTES: N/A** 

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS: N/A** 

**VENTILATION: LOCAL EXHAUST** 

**RESPIRATORY PROTECTION: N/A** 

EYE PROTECTION: N/A

SKIN PROTECTION: N/A

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N/A

**WORK HYGIENIC PRACTICES: N/A** 

**EXPOSURE GUIDELINES: N/A** 

**SECTION 8 NOTES:** 

**Bonded Polyester Thread** 

FILE NO.: msds012 MSDS date:8/18/08

**SECTION 9: STABILITY AND REACTIVITY** 

STABLE

**UNSTABLE** 

STABILITY: X

CONDITIONS TO AVOID (STABILITY): N/A

INCOMPATIBILITY (MATERIAL TO AVOID): N/A

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: N/A

HAZARDOUS POLYMERIZATION: MAY OCCUR

CONDITIONS TO AVOID (POLYMERIZATION): WILL OCCUR: WILL NOT OCCUR: X

SECTION 10: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations.