



*Daily Deliveries Throughout
New England*
800-327-7562

AWNING & MARINE CANVAS SUPPLIES REFERENCE BOOK 2016



NEW ENGLAND'S PREMIER AWNING & MARINE CANVAS SUPPLIES DISTRIBUTOR

Welcome to NEPCO's Awning & Marine Canvas Supplies Catalog!

NEPCO has been serving the sign and graphics industry since 1928. Our commitment to customer service has earned us more than a thousand returning customers in the Northeast and beyond.

It is in this spirit that we announce our entry into the Marine Canvas Awning Supplies business. We will serve our new industry and customers with the same excellent service that has allowed our company to grow over the years.

Our truck delivery and low minimums are two things that distinguish NEPCO from our competition. Low delivery minimums matched with our everyday low prices and in-stock availability is our recipe for success.

You should also note that we stock more than 10,000 different SKUs in our warehouse... so if there's something you need... we probably have it. Just give us a call!

Consider trying NEPCO for your next supply order. You won't be disappointed.



NEPCO 800-327-7562
401-438-4550
fax 401-438-1533

Order Center Hours

Monday-Friday 7am-5pm

Warehouse/Counter Hours

Monday-Friday 8am-4pm

Our holiday closings can be found on our website.

Order Cut-Offs



Most UPS orders placed by 5pm will ship same day.

Delivery orders placed by 5pm will be delivered on the customer's next scheduled delivery day.

Payment Methods Accepted



Cash or Company Check
NEPCO Account
UPS COD

Our Office and Warehouse is located at:
125 Amaral Street
East Providence, RI 02915

Ordering/Shipping

When placing an order, please be certain to give your sales representative all pertinent information i.e. color, size, quantity and all item numbers (if known). Following this procedure will ensure accurate processing of your order. We encourage the use of fax or email.

Our delivery vehicles are standing by to provide accurate, timely delivery with any order received before 5:00PM THE DAY PRIOR TO YOUR SCHEDULED DELIVERY.

Please note that the minimum for delivery will vary based on your location. Call your sales rep for your minimum order. Unsuccessful deliveries may be subject to a re-delivery charge. UPS delivery (next day within Zone 2) will go out the day that the order is placed, as long as it is received prior to 2:00PM.

Returns and Defective Product

Please contact our returns department (Dave at x125) and a return authorization number will be assigned. All return claims must be made within 30 days of the invoice date. Defective items do not apply. Any unused items must be returned in its original packaging. We reserve the right to charge a fifteen (15%) percent restocking and handling fee on all returnable merchandise.

At no time, will NEPCO accept the return of lamps that are out of their case, even if they were purchased out of their case. NEPCO reserves the right to refuse the return of any item. (Our driver will test all bulbs for you on delivery)

NET Terms

Open accounts are available to qualified companies on credit approval. Open accounts carry net 30 terms with interest charges of one and one half (1.5%) percent per month levied against all delinquent accounts.

To open an account, please contact your sales representative. They will ensure that you are emailed a credit application package from our credit department. Please allow up to 30 days for approval notification. Until such time, all accounts will be on a pre-paid or COD (credit card or company check) basis.

Return of Checks Due to Insufficient Funds

Processing bounced checks is costly, so we will automatically add a \$30.00 charge to your account for any and all checks that do not clear the bank.

Please call us if you have any questions!



Fabric

Fabric Chart.....	4-5
Arlon Colorkote TC.....	6
Arlon Eradicator.....	6
DPF 390.....	7
Cooley Seamless SM42	7
Cooley Weathertyte	8
Cooley Weathertyte Lite	8
Cooley Brite.....	9
Cooley Brite II.....	9
Cooley Brite Lite.....	10
Sun Fabric	10
Valmex Nautica Light.....	11
Valmex Nautica Light (Coated Both Sides)	11
Valmex Nautica Heavy.....	11
Valmex Nautica Linen.....	11
VIP Fabric.....	12
Recacril Design Line.....	12-13
Recasens RecWater	14
Recasens Decorline.....	14
Recasens RecScreen	14
Recasens RecSystem	14
Sequest.....	15
Vinyl Window Clear.....	16-17
Vinyl Window Cleaner	17

Hardware

Lift-the-DOT	18
Common Sense	18-19
DOT Durable	19-20
Pull-the-DOT.....	20
Grommets.....	20
Quality Marine Fittings.....	21
Track	22
Awning Fittings	22-23
Aluminum Tubing	24-25
Gatorshield (Galvanized Steel Tubing)	26
Stainless Steel Tubing.....	27
Triplecoat (Galvanized Steel Tubing)	27
Cap Plugs	27
Awning Plates.....	27
Rod Stock (Solid Round Steel)	27
Z-Brackets.....	28
Fast-Clip Brackets	28
Light Fixtures	29
Fluorescent Lamps	29
Egg Crates	29
Vinyl Inserts	30
Zippers.....	30-32
Tools & Dies	33-37
Cleaners & Protectants.....	37
Needles	37

Trimmings

Sunguard Thread.....	38
Awning Braid	38
Recacril Binding	39
Valmex Binding	39
Valmex Facings.....	39
Webbing	39
Velcro.....	40
Tapes	40-41
Keder.....	41
Polyethylene Tubing	41
Cord	42
Hidem.....	42
Welt	42

Rigid Sheetting

Sign Grade Expanded PVC.....	43
Marine Grade Expanded PVC.....	43
Seaboard (HDPE)	43
Alupanel	44
Makrolon AR	44

Index

Index	45-47
-------------	-------

	Catalog Page No.	Finished Widths	Put-Up (Lengths)	Cut Yardage	Weight (Oz.)	Finish (Coating)	Colors	Mildew Resistant
Fabrics								
Arlon Colorkote	6	7'	10yd, 25yd, 50yd	Yes	21 oz.	Eradicable Premium Ink	20 Solids	Yes
Arlon Eradicator	6	7'	10yd, 25yd, 50yd	Yes	18 oz.	Eradicable Premium Ink	15 Solids	Yes
DPF 390	7	4'-6", 6'-6", 8'-6", 10'-6", 12'-6", & 16'-4"	165'	Yes	19.5 oz.	Gloss	White	n/a
Cooley Brite	9	6-6"	10yd, 25yd, 50yd	No	20 oz.	PVC	20 Solids	Yes
Cooley Brite II	9	6-6"	10yd, 25yd, 50yd	No	20 oz.	PVC	20 Solids	Yes
Cooley Brite Lite	10	6-6"	10yd, 25yd, 50yd	No	16 oz.	PVC	18 Solids	Yes
Cooley Seamless SM42	7	8'-6", 10'-6", 12'-6" & 196"*	150' & 165'*	Yes	20 oz.	PVC	White	Yes
Cooley Weathertyte	8	74"	50yd	Yes	16 oz.	PVC	16 Regular / 4 Premium	Yes
Cooley Weathertyte Lite	8	74"	50yd	Yes	11 oz.	PVC	5 Regular / 2 Premium	Yes
Decorline	14	54"	65yd	Yes	8 oz.	Fluorocarbon/ Resin	19 Solids / 6 Patterns	Yes
Sun Fabric	10	60"	50yd	Yes	8.2 oz.	Olefin	16 Solids	Yes
Recacril Design Line	12-13	47" & 60"	65yd	Yes	9 oz.	Fluorocarbon/ Resin	59 Solids / 79 Stripes	Yes
RecWater	14	60"	65yd	Yes	17.4 oz.	One Side PVC Coated	10 Solids	Yes
RecScreen 4000P	14	118"	27yd	Yes	15.17 oz.	Antibacterial & Lead Free	9 Patterns	Yes
RecScreen 5000P	14	118"	27yd	Yes	14.75 oz.	Antibacterial & Lead Free	10 Patterns	Yes
RecScreen 6000P	14	118"	27yd	Yes	17.84 oz.	Antibacterial & Lead Free	13 Patterns	Yes
Seaquest	15	54"	Flat: 40yds / Pleated: 10-15yds	Yes	32 oz.	n/a	29 Solids	Yes
Textilene	15	54"	65yd	Yes	10.3 oz.	PVC	17 Solids	Yes
Valmex Nautica Light	11	86.5"	32yd	Yes	8.2 oz.	One Side PVC Coated	9 Solids	Yes
Valmex Nautica Light (Coated Both Sides)	11	86.5"	32yd	Yes	12.7 oz.	Both Sides PVC Coated	8 Solids	Yes
Valmex Nautica Linen	11	84.5"	32yd	Yes	11.8 oz.	One Side PVC Coated	2 Solids	Yes
Valmex Nautica Heavy	11	86.5"	32yd	Yes	13.1 oz.	One Side PVC Coated	6 Solids	Yes
VIP	12	98"	61.2yd	Yes	17.5 oz.	Both Sides PVC Coated	32 Solids	Yes

To view more information on any one of these products, turn to the appropriate pages in our catalog or call today for more information!

*Cooley Seamless SM42 196" x 165' is available in a Matte finish only.

	Eradicable	Opaque	Translucent	FR	Heat Sealable	Limited Warranty	UV	Other Uses
Fabrics								
Arlon Colorkote	Yes	No	Yes	Yes	Yes	10 Years	1000 Hours	Awning / Sign
Arlon Eradicator	Yes	No	Yes	Yes	Yes	6 Years	n/a	Awning / Sign
DPF 390	No	No	Yes	Yes	Yes	6 Years	n/a	Awning / Sign
Cooley Brite	Yes	No	Yes	Yes	Yes	8 Years	n/a	Awning / Sign
Cooley Brite II	Yes	No	Yes	Yes	Yes	10 Years	n/a	Awning / Sign
Cooley Brite Lite	Yes	No	Yes	Yes	Yes	8 Years	n/a	Awning / Sign
Cooley Seamless SM42	No	No	Yes	Yes	Yes	5 Years	n/a	Awning / Sign
Cooley Weathertyte	No	No	No	Yes	Yes	8 Years	n/a	Awning / Marine
Cooley Weathertyte Lite	No	No	No	Yes	Yes	5 Years	n/a	Awning / Marine
Decorline	No	Yes	No	No	Yes	3 Years	n/a	Awning / Marine
Sun Fabric	No	Yes	No	Yes	Yes	10 Years	1500+ Hours	Awning / Marine
Recacril Design Line	No	Yes	No	No	Yes	10 Years	1500+ Hours	Marine
RecWater	No	Yes	No	No	Yes	5 Years	n/a	Marine
RecScreen 5000P	No	No	Yes	Yes	Yes	3 Years	n/a	Sunscreen / Windscreens / Patio Furniture
RecSystem	No	No	No	No	Yes	10 Years	1500+ Hours	Awning / Marine
Sequest	No	No	No	Yes	n/a	n/a	1000 Hours	Marine
Valmex Nautica Light	No	No	Varies	Yes	Yes	n/a	n/a	Marine
Valmex Nautica Light (Coated Both Sides)	No	No	Varies	Yes	Yes	n/a	n/a	Marine
Valmex Nautica Linen	No	No	Varies	Yes	Yes	n/a	n/a	Marine
Valmex Nautica Heavy	No	No	Varies	Yes	Yes	n/a	n/a	Marine
VIP	No	No	No	Yes	Yes	5 Years	1500+ Hours	Awning / Banner

To view more information on any one of these products,
 turn to the appropriate pages in our catalog or call today
 for more information!

COLORKOTE™ TC 10-Year Warranty

Colorkote TC is a premium **21oz.** eradicable, flexible, vinyl substrate coated with premium ink and covered with our advanced FX outer protective coating. **Available in 20 popular colors**, this pre-decorated flexible substrate is created for the sign and awning industries for backlit graphic applications with solid background coverage. Designed to be eradicated using Signtech Eradicator.

TECHNICAL DATA

Put-Up (Lengths) 10yds, 25yds, 50yds & Cut Yardage
Finished Widths 7'

Base Fabric / Type	Reinforced Vinyl Substrate		
Finish (Coating)	Eradicable Premium Ink		
Weight	21 oz.		
Mildew Resistant	Yes	Heat Sealable	Yes
Eradicable	Yes	Translucent	Yes
Opaque	No	Fire Resistant	Yes
Limited Warranty	10 years		
Other Uses:	Awning & Sign		

Specifications	Test Method	Test Results
UV Resistance	ASTM D4329-92	1000 Hours
Abrasion	n/a	n/a
Hydrostatic	n/a	n/a
Puncture Strength	n/a	n/a
Tear Strength	n/a	n/a
Tensile Strength	ASTM D1593-89	178 lbf warp, 159 lbf fill
Shrinkage	ASTM D1593-89	.8mm at 100°C for 30 min.
Stretch	n/a	n/a

	Color	Colorkote SKU	Eradicator SKU
1090	Yellow	TC1090	
2016	Dark Yellow	TC2016	ER2016
2020	Burgundy	TC2020	ER2020
2025	Black (Opaque)	TC2025	ER2025
2037	Lt. Yellow	TC2037	ER2037
2108	Holly Green	TC2108	ER2108
2114	Dark Blue	TC2114	ER2114
2119	Orange	TC2119	ER2119
2146	Ivory	TC2146	
2260	Cherise	TC2260	

NEPCO also offers Special Colorkote TC Program Colors! These special colors are only available in cut yardage only.

Color	SKU
Dunkin Donuts™ Burgundy	STDD3-BURGUNDY
Dunkin Donuts™ Brown	STDD8-BROWN
Dunkin Donuts™ Orange	STDD9-ORANGE
Metro PCS™ Purple	TC6-140CUT

ERADICOLOR™ 6-Year Warranty

ERADICOLOR is an **18 oz.** intermediate-grade, eradicable, flexible, vinyl substrate. **Available in 15 popular colors**, this value-priced flexible substrate can be used anywhere where a medium-term signage/awning solution is needed. Stretch your dollar with ERADICOLOR. Designed to be eradicated using Signtech Eradicator.

TECHNICAL DATA

Put-Up (Lengths) 10yds, 25yds, 50yds & Cut Yardage
Finished Widths 7'

Base Fabric / Type	Reinforced Vinyl Substrate		
Finish (Coating)	Eradicable Premium Ink		
Weight	18 oz.		
Mildew Resistant	Yes	Heat Sealable	Yes
Eradicable	Yes	Translucent	Yes
Opaque	No	Fire Resistant	Yes
Limited Warranty	6 years		
Other Uses:	Awning & Sign		

Specifications	Test Method	Test Results
UV Resistance	n/a	n/a
Abrasion	n/a	n/a
Hydrostatic	n/a	n/a
Puncture Strength	n/a	n/a
Tear Strength	n/a	12 lbf warp, 8 lbf fill
Tensile Strength	n/a	180 lbf/in warp, 120 lbf/in fill
Shrinkage	n/a	n/a
Stretch	n/a	n/a

	Color	Colorkote SKU	Eradicator SKU
2283	Red	TC2283	ER2283
2410	Medium Red	TC2410	
2510	Red	TC2510	ER2510
2662	Tomato Red	TC2662	ER2662
2870	Royal Blue	TC2870	ER2870
2930	Blue	TC2930	ER2930
3220	Turquoise	TC3220	
4048	Dark Green	TC4048	ER4048
4355	Lt. Green	TC4355	ER4355
5019	Teal Blue	TC5019	ER5019



**NEED A SAMPLE
OF SOME FABRIC?
~ NO SWEAT!**

NEPCO Also offers sample cards for all of our Awning Fabric Products! Call today for a free swatch!



DPF 390

DPF 390 is a high quality, intermediate backlit 19.5-oz white flexible substrate. It is designed for any back illuminated indoor or outdoor signage. DPF 390 can be decorated with translucent pressure sensitive vinyl film or printed on with a wide variety of printers using Solvent, Eco-Solvent and UV inks. The heavy weight, durable flexible substrate is both tear and curl resistant, and it is RF weldable. It is compatible with various tensioning systems. DPF 390 has an anti-fungus and anti-wicking treatment. Outdoor durability (unprinted) is up to 6 years. Printed durability is dependent on the ink system used.



TECHNICAL DATA

Put-Up (Lengths) Finished Widths	164' & Cut Yardage 4'-6", 6'-6", 8'-6", 10'-6", 12'-6" & 16'-4"			Specifications	Test Method	Test Results
Base Fabric / Type	Polymetric PVC Vinyl			UV Resistance	n/a	n/a
Finish (Coating)	Gloss			Abrasion	n/a	n/a
Weight	19.5 oz.			Hydrostatic	n/a	n/a
Mildew Resistant	n/a	Heat Sealable	Yes	Puncture Strength	n/a	n/a
Eradicable	No	Translucent	Yes	Tear Strength	ASTM D1593-99	45 lbs warp
Opaque	Yes	Fire Resistant	Yes	Tensile Strength	ASTM D1593-99	180lbs warp
Limited Warranty	6 years			Shrinkage	n/a	n/a
Other Uses:	Awning & Sign			Stretch	n/a	n/a

	4'-6" SKU**	6'-6" SKU	8'-6" SKU	10'-6" SKU	12'-6" SKU	16'-4" SKU
By the Roll (164')	DPF390-4'-164	DPF390-6'-164	DPF390-8'-164	DPF390-10'-164	DPF390-12'-164	DPF390-16'-164
By the Yard	DPF390-4'-CUT	DPF390-6'-CUT	DPF390-8'-CUT	DPF390-10'-CUT	DPF390-12'-CUT	DPF390-16'-CUT



COOLEY SEAMLESS SM42

Cooley Seamless SM42, **20oz.** Flexible Backlit Substrate, features excellent lay-flat properties and a fine scrim which is virtually invisible.



TECHNICAL DATA

Put-Up (Lengths) Finished Widths	150', 165'** & Cut Yardage 8'-6", 10'-6", 12'-6" & 196"**			Specifications	Test Method	Test Results
Base Fabric / Type	Polyester			UV Resistance	n/a	n/a
Finish (Coating)	PVC			Abrasion	n/a	n/a
Weight	20 oz.			Hydrostatic	n/a	n/a
Mildew Resistant	Yes	Heat Sealable	Yes	Puncture Strength	ASTM D1204	35 lbs
Eradicable	No	Translucent	Yes	Tear Strength	ASTM D1004 (mod)	50 lbs warp, 30 lbs fill
Opaque	No	Fire Resistant	Yes	Tensile Strength	ASTM D751-A Grab	225 lbs warp, 150lbs fill
Limited Warranty	5 years			Shrinkage	ASTM D1204	< 1.5%
Other Uses:	Awning & Sign			Stretch	n/a	n/a

	8'-6" SKU	10'-6" SKU	12'-6" SKU	196" SKU**
By the Roll (150')	0020C120AI	0020C126AI	0020C150AI	
By the Roll (165')**				0020C1965SI
By the Yard	0020C102AI-CUT	0020C126AI-CUT	0020C150AI-CUT	0020C1965SI-CUT

**196" x 165" - Available in a Matte finish only.



Weatherlyte is a **16oz.** technically advanced waterproof awning fabric, which offers the luxurious look and feel of a woven fabric but has all the benefits of a high performance composite vinyl. Weatherlyte can be decorated with conventional techniques & all colors can also be easily digitally printed.

It's also the perfect fabric for applications where protection from the environment is essential, such as boat covers, bimini tops, flags, awnings, banners and so much more.

TECHNICAL DATA

Put-Up (Lengths) Finished Widths	50yds, & Cut Yardage 74"		
Base Fabric / Type	Polyester		
Finish (Coating)	PVC		
Weight	16 oz.		
Mildew Resistant	Yes	Heat Sealable	Yes
Eradicable	No	Translucent	No
Opaque	No	Fire Resistant	Yes
Limited Warranty	8 years		
Other Uses:	Awning & Marine		
Specifications	Test Method	Test Results	
UV Resistance	n/a	n/a	
Abrasion	ASTM D4157	60,000+ Cycles	
Hydrostatic	ASTM D751-A	330 psi	
Puncture Strength	ASTM D751	50 lbs	
Tear Strength	ASTM D751-B (mod)	55 lbs warp, 57 lbs fill	
Tensile Strength	ASTM D751-A Grab	257 lbs warp, 149 lbs fill	
Shrinkage	n/a	n/a	
Stretch	n/a	n/a	

Color	Weatherlyte SKU	Weatherlyte Lite SKU
Beige	WT-76BGE	
Black	WT-76BK	WTL-74DS-BLK
Blue	WT-76BL	WTL-74DS-BLU
Burgundy *	WT-76BU	WTL-74DS-BUR
Charcoal	WT-76CHR	
Chocolate Brown	WT-76BWN	
Coral	WT-76COR	
Dark Blue	WT-76DBL	
Dark Red *	WT-76DRD	WTL-74DS-DRD
Forest Green	WT-76FGR	WTL-74DS-FGR

*Indicates a Premium Color.



Weatherlyte Lite offers the same overall benefits of Weatherlyte, but its lighter weight offers easier handling. With its **11oz.** lightweight scrim, it still makes the perfect fabric for applications where protection from the environment is key, such as boat covers, bimini tops, flags, awnings, banners and so much more.

Just like Weatherlyte it offers the luxurious look and feel of a woven fabric but has all the benefits of a high performance composite vinyl.

TECHNICAL DATA

Put-Up (Lengths) Finished Widths	50yds & Cut Yardage 74"		
Base Fabric / Type	Polyester		
Finish (Coating)	PVC		
Weight	11 oz.		
Mildew Resistant	Yes	Heat Sealable	Yes
Eradicable	No	Translucent	No
Opaque	No	Fire Resistant	Yes
Limited Warranty	5 years		
Other Uses:	Awning & Marine		
Specifications	Test Method	Test Results	
UV Resistance	n/a	n/a	
Abrasion	ASTM D4157	60,000+ Cycles	
Hydrostatic	ASTM D751-A	300 psi	
Puncture Strength	ASTM D751	50 lbs	
Tear Strength	ASTM D751-B (mod)	50 lbs warp, 45 lbs fill	
Tensile Strength	ASTM D751-A Grab	230 lbs warp, 150 lbs fill	
Shrinkage	n/a	n/a	
Stretch	n/a	n/a	

Color	Weatherlyte SKU	Weatherlyte Lite SKU
Green	WT-76GR	
Linen	WT-76LN	WTL-74DS-LN
Mauve	WT-76MVE	
Platinum	WT-76PLT	
Red *	WT-76RD	
Slate	WT-76SLT	
Sunflower	WT-76SF	
Terracotta *	WT-76TRC	
White	WT-76WT	WTL-74DS-WHT
Yellow	WT-76YL	



COOLEY-BRITE®

Cooley's original backlit sign and awning material, Cooley-Brite 20oz. comes with an eight year warranty. This membrane features a scrim design that is nearly invisible to allow for maximum light diffusion, consistent translucency and brilliant eradicable colors in backlit signs and awnings. Cooley-Brite is treated with anti-wick, ultraviolet stabilizers, fungicides and whiteners for excellent color protection, durability and long life.

TECHNICAL DATA

Put-Up (Lengths) Finished Widths	10yds, 25yds & 50yds 6'-6"		
Base Fabric / Type	Polyester		
Finish (Coating)	PVC		
Weight	20 oz.		
Mildew Resistant	Yes	Heat Sealable	Yes
Eradicable	Yes	Translucent	Yes
Opaque	No	Fire Resistant	Yes
Limited Warranty	8 years		
Other Uses:	Awning & Sign		
Specifications	Test Method	Test Results	
UV Resistance	n/a	n/a	
Abrasion	n/a	n/a	
Hydrostatic	n/a	n/a	
Puncture Strength	ASTM D751	35 lbs	
Tear Strength	ASTM D1004 (mod)	50 lbs warp, 30 lbs fill	
Tensile Strength	ASTM D751-A Grab	225 lbs warp, 150 lbs fill	
Shrinkage	ASTM D1204	< 1.5 %	
Stretch	n/a	n/a	

Color	Cooley Brite SKU	Cooley Brite II SKU
0123 Sunflower	83-0123	83-C0123
0132 Bright Red	83-0132	83-C0132
0219 Pink	83-0219	83-C0219
0248 Plum	83-0248	83-C0248
0301 Mid Blue	83-0301	83-C0301
0355 Light Green	83-0355	83-C0355
0606 White	83-0606	83-C0606
2020 Burgundy	83-2020	83-C2020
2025 Black	83-2025	83-C2025
2037 Yellow	83-2037	83-C2037



COOLEY-BRITE® II

This 20oz., flexible, eradicable, top-of-the-line sign and awning membrane possesses all the advantages of the colored Cooley-Brite and more. Cooley-Brite II features the added protection of Cooley's Coolthane® formulation, which enhances cleanability and extends the life of the product to ten years.

TECHNICAL DATA

Put-Up (Lengths) Finished Widths	10yds, 25yds & 50yds 6'-6"		
Base Fabric / Type	Polyester		
Finish (Coating)	PVC		
Weight	20 oz.		
Mildew Resistant	Yes	Heat Sealable	Yes
Eradicable	Yes	Translucent	Yes
Opaque	No	Fire Resistant	Yes
Limited Warranty	10 years		
Other Uses:	Awning & Sign		
Specifications	Test Method	Test Results	
UV Resistance	n/a	n/a	
Abrasion	n/a	n/a	
Hydrostatic	n/a	n/a	
Puncture Strength	ASTM D751	35 lbs	
Tear Strength	ASTM D1004 (mod)	50 lbs warp, 30 lbs fill	
Tensile Strength	ASTM D751-A Grab	225 lbs warp, 150 lbs fill	
Shrinkage	ASTM D1204	< 1.5%	
Stretch	n/a	n/a	

Color	Cooley Brite SKU	Cooley Brite II SKU
2108 Green	83-2108	83-C2108
2114 Dark Blue	83-2114	83-C2114
2119 Orange	83-2119	83-C2119
2146 Ivory	83-2146	83-C2146
2283 Dark Red	83-2283	83-C2283
2648 Light Blue	83-2648	83-C2648
2662 Light Red	83-2662	83-C2662
4048 Forest Green	83-4048	83-C4048
5019 Teal	83-5019	83-C5019
5025 Reflex Blue	83-5025	83-C5025

**LOW MINIMUMS ~
NO MORE COMMON
CARRIERS!**

Order a few yards or by the roll! NEPCO delivers your awning materials with the lowest minimums in the Northeast!



COOLEY-BRITE® LITE



This product also offers an eight year warranty. Cooley-Brite Lite is based on the same proven technology as Cooley-Brite. Cooley-Brite Lite is lighter in weight, **16 oz.**, offering unique flexibility for ease of installation. As with Cooley-Brite it is translucent, flexible, durable and is engineered for high color brilliance and consistent color transparency.



TECHNICAL DATA

Put-Up (Lengths)	10yds, 25yds & 50yds		
Finished Widths	6'-6"		
Base Fabric / Type	Polyester		
Finish (Coating)	PVC		
Weight	16 oz.		
Mildew Resistant	Yes	Heat Sealable	Yes
Eradicable	Yes	Translucent	Yes
Opaque	No	Fire Resistant	Yes
Limited Warranty	8 years		
Other Uses:	Awning & Sign		

Specifications	Test Method	Test Results
UV Resistance	n/a	n/a
Abrasion	n/a	n/a
Hydrostatic	n/a	n/a
Puncture Strength	ASTM D751	35 lbs
Tear Strength	ASTM D1004 (mod)	50 lbs warp, 30 lbs fill
Tensile Strength	ASTM D751 - A Grab	215 lbs warp, 145 lbs fill
Shrinkage	ASTM D1204	< 2%
Stretch	n/a	n/a

SKU	Color	SKU	Color
CBL0606	White	CBL15	Petro Green
CBL1	Cherry Red	CBL16	Intense Blue
CBL10	Black	CBL17	Tangerine
CBL11	Plum Purple	CBL18	Ruby Red
CBL13	Teal	CBL19	Raspberry

SKU	Color	SKU	Color
CBL2	Bright Red	CBL5	Navy Blue
CBL20	Sunflower	CBL6	Royal Blue
CBL21	Holly Green	CBL7	Emerald Green
CBL22	Burgundy		
CBL4	Lemon Yellow		

Sun Fabric



Only Sun Fabrics are constructed with the unique combination of inherent sun protection, **flame retardance** and anti-mold properties. Sun Fabrics performance features are engineered into the yarn manufacturing, it's in the DNA, so performance won't "wear off" from exposure to the elements. Product is backed by a 10 year warranty.

TECHNICAL DATA


Put-Up (Lengths)	50yds & Cut Yardage		
Finished Widths	60"		
Base Fabric / Type	100% Woven Olefin		
Finish (Coating)	Teflon		
Weight	8.2 oz.		
Mildew Resistant	Yes	Heat Sealable	Yes
Eradicable	No	Translucent	No
Opaque	Yes	Fire Resistant	Yes
Limited Warranty	10 years		
Other Uses:	Awning & Marine		

Specifications	Test Method	Test Results
UV Resistance	ASTM E84	Class 1
Abrasion	n/a	> 100,000 Double Rubs
Hydrostatic	n/a	n/a
Puncture Strength	n/a	n/a
Tear Strength	n/a	2500 PSI
Tensile Strength	n/a	n/a
Shrinkage	n/a	n/a
Stretch	n/a	n/a
Weldable With & Without Tapes		
Printable		

Color	SKU	Color	SKU	Color	SKU
1011 Black	SUN-1011BLK	1005 Coffee	SUN-1005COF	1012 Caribbean	SUN-1012CAR
1009 White	SUN-1009WHT	1006 Esmeralda	SUN-1006ESM	1013 Cream	SUN-1013CRM
1001 Grass Green	SUN-1001FGR	1007 Light Gray	SUN-1007GRL	1014 Red	SUN-1014RED
1002 Blue Navy	SUN-1002BLN	1008 Reef Blue	SUN-1008BLR	1015 Sunflower	SUN-1015SNF
1003 Dark Wine	SUN-1003WIN	1010 Terracotta	SUN-1010TER	1016 Orange	SUN-1016ORG
1004 Escocia	SUN-1004ESC				



Roll Size: 86.5" x 32.81yds



4217-540 Navy (Shown)

VALMEX® NAUTICA LIGHT



This fine yarn polyester fabric with single side high quality coating is light weight with a high tear-out force and continued tear-out force resistance. These characteristics are appreciated by boat owners who want to store their tarpaulin without effort in a small space on their boat deck. VALMEX® Nautica Light includes a single side PVC coating and a single side special acrylic paint and this optimizes the dirt characteristics and the resistance against decay and it minimizes the maintenance. Please refer to the cleaning procedures. VALMEX® Nautica Light is the ideal material for applications that need easy handling, optimal protection and handsome impressions such as deck chair and tree tarpaulins, protective covers, removable sun sails, etc.

Colors: Snow-White, White, Tan, Ivory, Black, Blue, Navy & Gray

Special-Order Only Colors: Ocean Green & Silver



Roll Size: 86.5" x 32.81yds



4227-121 Tan (Shown)

VALMEX® NAUTICA LIGHT (Coated Both Sides)




The PVC coating on both sides and the special acrylic painting of this fine yard polyester fabric permits problem free cleanings of both sides. The advantages of the coating of both sides include, in addition to the good cleaning characteristics, mainly the fact that the material can be sewed as well as welded with all popular welding processes. The special canvas pressing (which makes VALMEX® Nautica Light available with a silver color) provides in addition a noble appearance. Due to its coating on both sides, VALMEX® Nautica Light both side is especially appreciated for convertible tops or car tops, Bimini tops, sun protection tops, etc.

Colors: Snow-White, White, Tan, Ivory, Black, Blue, Navy/Gray & Gray

Special-Order Only Colors: Silver



Roll Size: 86.5" x 32.81yds



4240-502 Blue (Shown)

VALMEX® NAUTICA HEAVY




This high-strength polyester fabric provides highest tear-out force and continued tear-out force resistance. The characteristics for the longterm use are especially improved by the use of low-wick yarns. The special finish of low-wick yarns prevents water from penetrating the fabric. This reduces mildew to a minimum and bothersome mold stains are a thing of the past. The dirt and cleaning characteristics are further optimized by the application specific PVC coating and the single side painting. The smooth surface pressing provides a noble impression. Due to the high resilience of the fabric and the good material handling, VALMEX® Nautica Heavy has an excellent image with boat owners especially for applications that include transport tarpaulins and car tops, convertible tops and access covers.

Colors: White, Tan, Ivory Blue, Navy & Gray



Roll Size: 84.5" x 32.81yds



4233-706 Gray (Shown)

VALMEX® NAUTICA LINEN



The tightly woven polyester fabric has a high quality, single sided PVC coating. The fabric has a weight of 400 g/m² and provides high tear-out force and continued tear-out force resistance. VALMEX® Nautica Linen is finished single sided with a special paint, which optimizes the dirt characteristics and the resistance against light and weather impacts. The incidence of mildew stains is significantly reduced due to the high quality, anti fungicide finish. In contrast to the other Nautica® options, VALMEX® Nautica Linen has a noble linen pressing, which gives the fabric a noble structure.

Colors: Blue & Gray

See page 39 for Valmex bindings & facings!

VIP Fabric

Featuring VIP-FR vinyl fabric! This brand NEW 17.5 oz. flame-resistant fabric (now available in 24 colors) is very flexible with a soft hand. This product is printable AND accepts vinyl graphics. It can also be used for canopies, awnings, bimini tops, tarpaulins, banners, gym equipment and much more!

TECHNICAL DATA

Put-Up (Lengths)	61.2yds & Cut Yardage			Specifications	Test Method	Test Results
Finished Widths	98"			UV Resistance	ASTM E84	Class 1
Base Fabric / Type	100% Woven Polyester			Abrasion	n/a	> 100,000 Double Rubs
Finish (Coating)	PVC Acrylic			Hydrostatic	n/a	n/a
Weight	17.5 oz.			Puncture Strength	n/a	n/a
Mildew Resistant	Yes	Heat Sealable	Yes	Tear Strength	n/a	270 daN/5cm
Eradicable	No	Translucent	No	Tensile Strength	n/a	n/a
Opaque	Yes	Fire Resistant	Yes	Shrinkage	n/a	n/a
Limited Warranty	5 years			Stretch	n/a	n/a
Other Uses:	Awning & Marine			Printable		
				Heat Sealable		

Color	SKU	Color	SKU	Color	SKU
6651 White	VIP-6651	6660 Ruby Red	VIP-6660	6665 Navy Blue	VIP-6665
6652 Ivory	VIP-6652	6661 Pink	VIP-6661	6671 Gray	VIP-6671
6653 Beige	VIP-6653	6662 Fuschia	VIP-6662	6672 Metallic Gray	VIP-6672
6654 Pastel Yellow	VIP-6654	6663 Blue	VIP-6663	6673 Chocolate Brown	VIP-6673
6655 Lemon	VIP-6655	6664 Dark Blue	VIP-6664	6674 Black	VIP-6674
6656 Yellow	VIP-6656	6667 Grass Green	VIP-6667	6675 Light Green	VIP-6675
6657 Mandarin Orange	VIP-6657	6668 Green	VIP-6668	6677 Champagne	VIP-6677
6658 Orange	VIP-6658	6669 Moss Green	VIP-6669	6682 Brown	VIP-6682
6659 Red	VIP-6659	6670 Silver	VIP-6670	6879 Fresh Green	VIP-6879



100% Solution Dyed Acrylic Marine & Awning Fabric

SUPER TIGHT WEAVE!

Zero shrink and Zero stretch with exceptional water and fade resistance in a full collection of 59 Solids and 79 Stripes.

COLORS UPDATED IN 2009

With 59 Solids and 79 stripes in the Recacril® Line, Recasens is the company that delivers the styles and colors you want for your Commercial, Residential or Industrial customers and projects. Proven in Europe, with over 50 years of experience, the Recacril® line is perfect for awnings, marine and other outdoor applications. With its tight weave, Recacril® provides outstanding water resistance and fabric stability.

NEPCO also offers **Recacril Binding (in ¾" & 1" TET Bias)** and acrylic braiding to compliment any awning installation. Turn to page 39 for more information!



TECHNICAL DATA

Put-Up (Lengths)	65yds & Cut Yardage			Specifications	Test Method	Test Results
Finished Widths	47" & 60"			UV Resistance	AATCC-16	1500+ Hours
Base Fabric / Type	100% Solution Dyed Acrylics			Abrasion	ASTM-4157	40,000 Rubs
Finish (Coating)	Fluorocarbon/Resin			Hydrostatic	AATCC-127	35 cm
Weight	9 oz.			Puncture Strength	ASTM-751	38 lbs
Mildew Resistant	Yes	Heat Sealable	Yes	Tear Strength	ASTM-2261	9 lbs warp, 6 lbs fill
Eradicable	No	Translucent	No	Tensile Strength	ASTM D-5034 Grab	255 lbs warp, 156 lbs fill
Opaque	Yes	Fire Resistant	No	Shrinkage	5804-100 hours	.4% warp, 0% fill
Limited Warranty	10 years			Stretch	ASTM D-2594	0% warp, 0% fill
Other Uses:	Awning & Marine			Weldable		

Acrylic Solids / Standard Colors

SKU	Color	Sizes	SKU	Color	Sizes	SKU	Color	Sizes
R-099	White	47" / 60"	R-121	Wheat	47"	R-170	Admiral Blue	60"
R-100	Beige	47" / 60"	R-122	Seashell	47"	R-171	Turquoise	47"
R-102	Forest Green	47" / 60"	R-123	Argentia Grey	47" / 60"	R-172	Blue	47" / 60"
R-103	Black	47" / 60"	R-126	Linen	47" / 60"	R-173	Dark Blue	47"
R-104	Chestnut	47" / 60"	R-127	Moonrock	47" / 60"	R-174	Navy Blue	47" / 60"
R-107	Champagne	47"	R-129	Rye	47" / 60"	R-175	Captain Navy	47" / 60"
R-108	Vanilla	47"	R-133	Desert	47"	R-180	Sand	47"
R-109	Mustard	47"	R-135	Ocean Cruise	60"	R-193	Light Blue	47"
R-110	Lily	47"	R-138	Cadet Grey	47" / 60"	R-195	Cacao	47"
R-111	Camel	47"	R-139	Heather Beige	47" / 60"	R-199	Atlantic Blue	47" / 60"
R-112	Graphite	47"	R-156	Brown	47" / 60"	R-415	Marble	47"
R-113	Cava	47"	R-158	Oche	47"	R-770	Charcoal Tweed	47" / 60"
R-114	Pearl	47"	R-160	Pistachio	47"	R-771	Green Tweed	60"
R-115	Cream	47"	R-161	Grey	47" / 60"	R-772	Blue Tweed	60"
R-117	Raw	47" / 60"	R-162	Khaki	47"	R-775	Linen Tweed	47" / 60"
R-118	Pierrot	47"	R-163	Green	47" / 60"			
R-119	Duna	47"	R-164	Charcoal Grey	47" / 60"			

Acrylic Solids / Premium Colors

SKU	Color	Sizes	SKU	Color	Sizes	SKU	Color	Sizes
R-101	Mandarin	47"	R-176	Red	47" / 60"	R-773	Red Tweed	47" / 60"
R-105	Salmon	47"	R-177	Burgundy	47" / 60"	R-567	Orange	47" / 60"
R-106	Flamingo	47"	R-182	Vermellon	47" / 60"			
R-130	Wine	47" / 60"	R-554	Yellow	47" / 60"			

Acrylic Classic & Premium Stripes (Available in 47" Only)

SKU	Color	SKU	Color	SKU	Color	SKU	Color
R-012	Red / White	R-058	Gold / Brown	R-223	Tan / Black	R-810	Baeza
R-014	Green / White	R-061	Gray / White	R-252	Vanilla / Beige	R-821	Deba
R-016	Blue / White	R-144	Green / Light Green	R-630	Tan / Beige	R-825	Jerez
R-017	Black / White	R-166	Blue / Light Blue	R-724	Elda	R-830	Forest / White
R-055	Yellow / White	R-206	Brown / Light	R-742	Sarria	R-876	Galdana
R-056	Brown / White	R-211	Brown / Beige	R-801	Salou		


Fantasia Stripes (Available in 47" Only)

SKU	Color	SKU	Color	SKU	Color	SKU	Color
R-4008	Jaca	R-459	Vic	R-803	Alcira	R-874	Llivia
R-412	Motril	R-463	Medina	R-804	Merida	R-924	Altaful
R-413	Bermeo	R-465	Grecia	R-807	Nijar	R-960	Almen
R-416	Nerja	R-466	Siria	R-808	Orotava	R-965	Requena
R-419	Ronda	R-467	Alfaro	R-812	Inca	R-966	Sagun
R-422	Mojacar	R-468	Corella	R-835	Pravia	R-967	Zorit
R-423	Cambrils	R-501	Blanes	R-837	Montrico	R-969	Valdes
R-425	Luarca	R-510	Cunit	R-841	Alcudia	R-970	Valdun
R-430	Bara	R-700	Antilla	R-842	Tudela	R-971	Truji
R-434	Dalias	R-701	Vecla	R-843	Breda	R-975	Barbat
R-441	Aran	R-707	Altaful	R-848	Laredo	R-977	PuertoBanus
R-445	Tona	R-708	Lorca	R-849	Palamos	R-979	Chicla
R-448	Najera	R-747	Begur	R-854	Jumilla	R-980	Agua

Additional High Quality, High Performance Recasens Fabrics From NEPCO!



Roll Size: 60" x 65yds



RW-172 Blue (Shown)

RECWATER WATERPROOF ACRYLIC

Recwater® is a **17.4 oz.**, waterproof product line that combines Recacril 100 percent solution-dyed acrylic with a PVC coating to create a material that resists weather, fading and shrinking. Recwater is **available in 10 colors** for automotive, marine, and other outdoor applications. Recwater comes in 60-inch finished widths.

Colors: Black, Tan, Moonrock, Gray, Blue, Navy Blue, Atlantic Blue, Green Tweed, Blue Tweed & Red Tweed



Roll Size: 54" x 65yds



R-7121 Wheat (Shown)

DECORLINE FURNITURE FABRIC

Recacril Decorline® furniture fabric is an **8oz.**, furniture grade, 100 percent solution-dyed acrylic. **Available in 19 solid colors and six patterns**, this 54-inch fabric is used on marine or outdoor furniture cushions. Decorline is highly resistant to fading, tearing, stains and weather.

Colors: White, Beige, Forest Green, Black, Chestnut, Champagne, Cream, Raw, Aguamar, Wheat, Linen, Bird's Eye, Green, Turquoise, Navy Blue, Sand, Light Blue, Yellow & Inca

Patterns: Repeat 2" (Two Patterns), Repeat 1" (Two Patterns) & Repeat 2.5" (Two Patterns)



Roll Size: 118" x 27yds



R-5000 Solid White (Shown)

RECSCREEN SHADE SCREEN



RecScreen® polyester shade screen filters UV rays and improves air circulation. RecScreen's **antibacterial, lead-free coating and fire-retardant characteristics** provide additional value to the environmentally conscious consumer. RecScreen's 118-inch width is unique in the industry, making it highly efficient during production and adaptable for a variety of applications in the shade screen product marketplace. Each type of screen has a different tolerance of the weave. RecScreen 5000P has 5.5% openness of the weave.

5000P Patterns: Solid White, White/Linen, White/Sable, White/Pearl, White/Charcoal, White/Cream, White/Bronze, Solid Black, Black/Charcoal & Black/Vanilla

RECSYSTEM FABRIC

Recsystem is a woven, 100-percent solution-dyed acrylic fabric with an acrylic resin back coating. It is designed to achieve high impermeability, with water column over 1000 mm. It offers a unique combination of beauty and protection by combining the rich color and natural woven look of Recacril solution-dyed acrylic fabric with the added protection of a durable proprietary resin back coating.

- Outstanding fade resistance only solution dyed acrylic fabrics can provide.
- Withstands harshest weather conditions.
- Blocks up to 99% of harmful UV rays.
- Dirt and oil repellent, mildew resistant, and antibacterial.
- Superior water resistance due to double coating (Fluorocarbon both sides, acrylic resin one side).
- Combines waterproofness and breathability.
- Will not unravel when scissor or knife cut.

Colors: White, Raw, Pearl, Linen, Beige, Forest Green, Red, Burgandy, Blue, Dark Blue, Admiral Blue, Atlantic Blue, Navy Blue, Captain Navy, Carbon Silver, Cadet Grey, Moonrock, Charcoal Grey, Dark Grey & Black

**NEED MORE INFO?
- NOT A
PROBLEM!**

Call today for more specifications on any of our Product Lines or visit www.recasensusa.com

SEAQUEST Marine Upholstery Vinyl



Nassimi's brand line of team performance fabrics, introduces Sequest - A 32oz. Marine Upholstery Vinyl. The Sequest Line is part of a collection of performance engineered vinyls for Contract Furniture, Marine Upholstery, and other seating applications that require superior material strength and high-durability. Each product is engineered to exceed the specific demands of the application, for example in flame resistance, stain resistance, anti-bacterial and anti-microbial protection, UV-resistance and -20°F cold crack.



TECHNICAL DATA

Put-Up (Lengths)	Flat: 40yds & Cut Yardage Pleated: 10yds, 15yds & Cut Yardage		
Finished Widths	54"		
Base Fabric / Type	100% Polyester Knit		
Finish (Coating)	n/a		
Weight	32oz.		
Mildew Resistant	Yes	Heat Sealable	n/a
Eradicable	No	Translucent	No
Opaque	No	Fire Resistant	Yes
Limited Warranty	n/a		
Other Uses:	Marine		

Specifications	Test Method	Test Results
UV Resistance	ASTM G26-96	1,000 Hours
Abrasion	ASTM D-4157-92	175,000+ Rubs
Hydrostatic	n/a	n/a
Puncture Strength	n/a	n/a
Tear Strength	ASTM D5733-95	25.8 lbs warp, 27.7 lbs fill
Tensile Strength	ASTM D751-98	89.2 lbs warp, 102.7 lbs fill
Shrinkage	n/a	n/a
Stretch	n/a	n/a

Color	Flat SKU	Pleated SKU
001 American Beauty	S-001-PSQ	S-001-PSP
002 Anchor	S-002-PSQ	S-002-PSP
003 Buff	S-003-PSQ	S-003-PSP
004 Chalk	S-004-PSQ	S-004-PSP
005 Cove	S-005-PSQ	S-005-PSP
006 Dune	S-006-PSQ	S-006-PSP
007 Ebony	S-007-PSQ	S-007-PSP
008 Emerald	S-008-PSQ	S-008-PSP
009 Forest	S-009-PSQ	S-009-PSP
010 Hampton	S-010-PSQ	S-010-PSP
011 Havasu	S-011-PSQ	S-011-PSP
012 Lemon Peel	S-012-PSQ	S-012-PSP
013 Lighthouse Red	S-013-PSQ	S-013-PSP
014 Loton	S-014-PSQ	S-014-PSP
015 Marble	S-015-PSQ	S-015-PSP
016 Midnight	S-016-PSQ	S-016-PSP
017 Mist	S-017-PSQ	S-017-PSP
018 Navel	S-018-PSQ	S-018-PSP

Color	Flat SKU	Pleated SKU
019 Navy	S-019-PSQ	S-019-PSP
020 Oyster	S-020-PSQ	S-020-PSP
021 Pearl Oyster	S-021-PSQ	S-021-PSP
022 Pelican	S-022-PSQ	S-022-PSP
023 Royal	S-023-PSQ	S-023-PSP
024 Ruby	S-024-PSQ	S-024-PSP
025 Sea White	S-025-PSQ	S-025-PSP
026 Smoke	S-026-PSQ	S-026-PSP
027 Teal	S-027-PSQ	S-027-PSP
029 Too White	S-029-PSQ	S-029-PSP
030 White Ice	S-030-PSQ	S-030-PSP

MATCHING HIDE & WELT ON PAGE 42!

OSEA EXTRUDED

Double Pressed Polished Scratch Resistant

The O'Sea glass is the newest of Vinyl Window Clear technology. O'Sea has formulated the base compound for maximum UV stability and the press polishing process ensures optimized clarity. The O'Sea coating is specifically engineered to provide a superior scratch resistant barrier without compromising the hand or flexibility of the sheet. This unique chemistry also gives the O'Sea sheet exceptional chemical and stain resistance. O'Sea is manufactured of thermoplastic vinyl material.



SKU	Description	Size
OSEA-5DRUM-040C	Clear Window Vinyl (5 Sheets per Drum)	54" x 110" x .040
OSEA-3DRUM-040C	Clear Window Vinyl (3 Sheets per Drum)	54" x 110" x .040

REGALITE EXTRUDED

Double Pressed Polished Marine Grade Sheets

Regalite® press polished sheets are manufactured of thermoplastic vinyl material with a highly polished finish to form a flexible, press polished sheet. These products offer superb dimensional stability, excellent clarity and weathering capabilities, good RF and heat sealability. Each meets or exceeds the material requirements of the Department of Transportation (DOT) and the American National Standards (ANSI)



SKU	Description	Size
REG-3DRUM-030C	Clear Window Vinyl (3 Sheets Per Drum)	54" x 110" x .030
REG-3DRUM-040C	Clear Window Vinyl (3 Sheets Per Drum)	54" x 110" x .040

MAKROLON AR

Abrasion-Resistant Window Clear

Abrasion and enhanced UV-resistant polycarbonate sheeting that offers glass-like clarity and hardness, coupled with the impact strength of standard polycarbonate. With its superior glass-like clarity, **Makrolon AR** offers less distortion compared to other marine clears and has 250 times the strength of standard float glass. Its also scratch-resistant coated on two-sides and is highly UV / yellow resistant.



Easily Sewn Using Standard Equipment!

.040" Plaskolite AR and .060" Makrolon AR can be sewn using a diamond-tipped needle. Depending on the thread gauge, you may be able to use a #23 or #24 needle. Its been successfully sewn with a V-138 thread using a #23 needle. Its also recommended to use a very sharp needle and a new needle is recommended for each job.



SKU	Description	Size
48/040/CLR/AR2	Clear Window Polycarbonate	44" x 92" x .040
48/060/CLR/AR2	Clear Window Polycarbonate	48" x 96" x .060

See page 37 for information on our Diamond Point Needles!

MAKROLON Marine 5 **Abrasion-Resistant Window Clear**

Makrolon® Marine 5 sheet is a polycarbonate product designed for applications demanding high optical clarity, exceptional durability, and longevity against the harsh marine environment. State-of-the-art manufacturing processes provide low optical distortion for clear views and unparalleled sight lines. The advanced hard coat technology provides excellent abrasion resistance, enhanced clarity, chemical resistance, and long lasting outdoor weathering performance. Makrolon Marine 5 can be easily cut and sewn, making this a more versatile option versus glazing materials that require gluing.



SKU	Description	Size
50110/060/CLRAR	Clear Window Polycarbonate	50" x 110" x .060
60110/080/CLRAR	Clear Window Polycarbonate	60" x 110" x .080

MAKROLON VR **Vinyl - Replacement Window Clear**

Makrolon® VR sheet is a polycarbonate product designed for high optical quality and exceptional durability. Proprietary UV technology ensures long lasting outdoor weathering performance and shades occupants from the sun's harmful UV rays. State-of-the-art manufacturing processes provide low optical distortion for clear views and unparalleled sight lines. Makrolon VR can be easily cut and sewn, offering a high clarity, wrinkle-free alternative to flexible vinyl. The product can be rolled, making it ideal for applications with limited storage.



SKU	Description	Size
52110/040/CLRVVR	Clear Window Polycarbonate	52" x 110" x .040

GENERAL SEWING RECOMMENDATIONS FOR POLYCARBONATE:

Sewing machine speed: Use a slow feed rate. Top feed preferred - bottom feed will build up polycarbonate plugs/chips dislodged by the needle.

Stitch Rate: Average (4) stitches per inch. A faster feed will add excess heat to the sewing needle.

Stitch: Square Feet or Step Stitch are commonly used. Distance from edge of sheet should be >1/2".

Seams: The most popular seams used in canvas tops and covers are: the overlapping seam, the semi-flat felled seam, and the full flat felled seam. Seams can be waterproofed by using acrylic or Mylar® film basting tape. This double-sided adhesive tape bonds well with coarse canvas fabric. Use a soapstone pencil to mark stitching lines. Lines wash away when exposed to water.

Motor: A servo motor instead of a DC stepper/clutch motor will allow for more controlled sewing feed rate.

Needles: Groz Beckert needle points - Tripoint size 22, 23 or Groz Beckert San 5.2 double grooved. Although diamond tip needles are capable of sewing through polycarbonate (size 20, 21, 22), they may abrade the weave of the fabric more than tripoints. A more roundly pointed needle will move between fabric fibers versus physically cutting the weave, which may eventually cause the fabric to fray.

Needle Cooling: Using a mini-cooler to blow cold air over the needle will keep it from overheating during long runs.

NAUTICLEAR EXTRUDED Extruded Marine Grade Rolls

- Perfect for Patio/Boat Curtain Enclosures!
- Marine Grade - Mildew Resistant
- Ultra Clear
- UV Stabilized - 1200 UV hrs.
- -20°F Cold Crack
- Low Cohesion



SKU	Description	Size
5430XXX	Marine Grade Extruded Vinyl	54" x 20yds x .030
5440XXX	Marine Grade Extruded Vinyl	54" x 15yds x .040

FIRE RATED EXTRUDED Super Double Polished Clear



- Perfect for Commercial Patio Enclosures with Wind Screen Applications!
- Perfect for Tent Windows!
- Compliant with NFPA-701 Fire Rating
- UV Stabilized - 1200 UV hrs.
- Non-Phthalate
- -20°F Cold Crack
- Low Cohesion

SKU	Description	Size
5430NFPA	Fire Rated Extruded Vinyl	54" x 20yds x .030

GENERAL PURPOSE CALENDERED Super Double Polished Clear

- Perfect for any application Fire-Rated is not required!
- UV Stabilized - 1000 UV hrs.
- Non-Phthalate
- -10°F Cold Crack

SKU	Description	Size
542030HB	Marine Grade Calendered Vinyl	54" x 30yds x .020

VINYL WINDOW CLEANER

Our IMAR Strataglass Cleaner is uniquely formulated to clean, shine and protect all your PVC Window Vinyl Needs. Its Special UV Inhibitors will extended the life of your window film by minimizing the deteriorating effects of the Sun and is safe for everyday use.

Our IMAR Strataglass Polish is formulated to safely polish and protect all PVC Vinyl Window Material. It creates a protective barrier against the damaging effects of the harsh marine environments. Recommended to use every 2-3 months.

For additional Cleaners turn to page 37.

SKU	Description	Size
#301CLEANER	IMAR Strataglass Protective Cleaner	16oz.
#302POLISH	IMAR Strataglass Protective Polish	16oz.



Protective Cleaner is shown on the left & the Protective Polish is shown on the right.

LIFT-THE-DOT®

Strong and heavy duty, Lift-the-DOT fasteners lock on three sides and are opened by lifting the fourth side where the DOT and the Lift-the-DOT trademark appears.

SKU:
90-XX-16205
LTD Socket

Made with a brass-nickel plate. Sold 100 per bag.



SKU:
90-XB-16347
LTD Stud

Two-screw hole base, brass-nickel plate. Sold 100 per bag.



SKU:
90-X8-16376
LTD Windshield Clip

Stainless 3/4" Clip, brass-nickel plated stud. Sold 100 per bag.



SKU:
90-XX-16206
LTD Socket

Made with a brass-nickel plate. .161 Prongs. Sold 100 per bag.



SKU:
90-BS-16349
LTD Stud

Brass-nickel plate, two prongs. Sold 100 per bag.



SKU:
90-X8-16377
LTD Windshield Clip

Stainless 7/8" Clip, brass-nickel plated stud. Sold 100 per bag.



SKU:
90-BS-16506
LTD Washer

Brass-nickel plate for use with 16205/16206. Sold 100 per bag.



SKU:
90-XB-16358
LTD Stud

Brass-nickel plate, eyelet base. Sold 100 per bag.



SKU:
90-BS-16501
LTD Washer

Brass-nickel plate, for use with 16349. Sold 100 per bag.



SKU:
90-PS-16510
LTD Washer

Clear plastic for use with between 16205/16206. Sold 100 per bag.



SKU:
90-X8-163604 (For 3/8")
90-X8-163607 (For 1/2")
LTD Screw Stud

Brass-nickel plate, stainless, self-tapping screw. Sold 100 per bag.



SKU:
90-BS-16509
LTD Washer

Brass-nickel plate, for use with XB-16358. Sold 100 per bag.



COMMON SENSE®

Positive locking fasteners that will never open accidentally. Each stud is assembled with a spring mechanism, holding the fastener under tension until turned by hand.

SKU:
91-XB-78317
CS Turnbutton

Eyelet base, brass-nickel plate. Sold 100 per bag.



SKU:
91-XB-78333
CS Turnbutton

Two prong base, double-height, brass-nickel plate. Sold 100 per bag.



SKU:
91-BS-78403
CS Grommet

Four prong, brass-nickel plate. Sold 100 per bag.



SKU:
91-XB-78332
CS Turnbutton

Two prong base, brass-nickel plate. Sold 100 per bag.



SKU:
91-X8-783247
CS Turnbutton

Screw stud, brass-nickel plate #12 1/8" stainless self-drilling screw. Sold 100 per bag.



SKU:
91-BS-78404
CS Grommet

Four prong, .315 leg length, brass-nickel plate. Sold 100 per bag.



COMMON SENSE® (Cont.)

SKU:
91-XB-78323

CS Turnbutton

Double-height, two hole base, brass-nickel plate. Sold 100 per bag.



SKU:
91-BS-78507

CS Washer

For 78332/78333, brass-nickel plate. Sold 100 per bag.



SKU:
91-PS-78511

CS Washer

Clear plastic, for use between 78403/78404, 78505, 78510. Sold 100 per bag.



SKU:
91-XB-78322

CS Turnbutton

Two hole base, brass-nickel plate. Sold 100 per bag.



SKU:
91-BS-78510

CS Washer

Four tab for 78403/78404, brass-nickel plate. Sold 100 per bag.



SKU:
91-BS-78505

CS Washer

For 78403/78404, brass-nickel plate. Sold 100 per bag.



SKU:
91-BS-78502

CS Washer

For 78317/78318, brass-nickel plate. Sold 100 per bag.



Small Order? No Problem!

NEPCO Products Ships via UPS anywhere in the Country!
Call today for a **FREE** quote!



DOT DURABLE™

When superior snap action and holding strength is needed, Durable is the fastener to use. Self-piercing, so no pre-punching is required, the Durable fastener's heavy-duty construction assures a firm grip that will remain secure through years of use.

SKU:
93-X8-103015 (For .437 Screw)
93-X8-103017 (For .625 Screw)

DD Screw Stud

Brass-nickel plate, .437 or .625 stainless-steel self-drilling screw. Sold 100 per bag.



SKU:
93-XB-107084 (For .375 Screw)
93-XB-107087 (For .625 Screw)

DD Screw Stud

Flangeless, brass-nickel plate, brass .375 or brass .625 #10-32 machine screw. Sold 100 per bag.



SKU:
93-BS-10379

DD Stud

Low-shelf, brass-nickel plate for use with XB-10342 Gypsy Stud. Sold 100 per bag.



SKU:
93-XB-103934 (.375 Brass)
93-X8-103937 (.625 Brass)
93-XN-103934 (.375 All Stainless)

DD Screw Stud

Brass-nickel plate, .375 brass #8 wood screw or .625 brass-nickel plate with #8-15 stainless self-tapping screw or .375 Stainless #8-15 type AB self-tapping screw. Sold 100 per bag.



SKU:
93-BS-10370 (Brass-Nickel)
93-NS-10370 (Stainless Steel)

DD Stud

Brass-nickel plate or stainless steel. Sold 100 per bag.



SKU:
93-XB-10224 (Brass-Nickel)
93-XN-10224 (Stainless Steel)

DD Socket

Brass-nickel plate or stainless steel, normal -snap action. Sold 100 per bag.



SKU:
93-10314

DD Rivet Stud

Flangeless, 1/8" diameter. Sold 100 per bag.



SKU:
93-XB-10342

DD Gypsy Stud

Brass-nickel plate. 1 1/2" Length. Sold 100 per bag.



DOT DURABLE™ (Cont.)

SKU:
93-X2-10128 (Brass-Nickel)
93-XN-10128 (Stainless Steel)

DD Cap

Brass-nickel plate or stainless steel, .1718 barrel length.
Sold 100 per bag.



SKU:
93-X2-10127 (Brass-Nickel)
93-XN-10127 (Stainless Steel)

DD Cap

Brass-nickel plate or stainless steel, .1876 barrel length.
Sold 100 per bag.



SKU:
93-BS-10412 (Brass-Nickel)
93-NS-10412 (Stainless Steel)

DD Eyelet

Brass-nickel plate or stainless steel, .250 length.
Sold 100 per bag.



SKU:
93-BS-10413

DD Eyelet


Brass-nickel plate, .3125 length.
Sold 100 per bag.



SKU:
93-XX-10391

DD Windshield Clip


Stud, brass-nickel plate, stainless 7/8" clip frame.
Sold 100 per bag.



SKU:
93-XX-10388

DD Windshield Clip

Stud, brass-nickel plate, stainless 3/4" clip frame. Sold 100 per bag.



SKU:
93-X2-101281117 (Nautical Enam.)
93-X2-101289011 (Shingle Enam.)
93-X2-101281959 (White Enam.)
93-X2-101289005 (Toast Enam.)
93-X2-101281339 (Black Enam.)
93-X2-101282025 (Blue Enam.)

DD Cap

Brass, available in Nautical Enamel (Navy), Shingle Enamel (Grey), White Enamel, Toast Enamel, Black Enamel or Chateau (Blue).
Sold 100 per bag.

Colored Enamel Caps!



PULL-THE-DOT®

A heavy duty, three sided locking snap fastener that is built to withstand extreme pressure on three sides without unlocking. When pulled on the fourth side where the Pull-the-DOT trademark appears, the fastener releases instantly.

SKU:
92-XE-18100

PTD Cap


Brass-nickel plate.
Sold 100 per bag.



SKU:
92-BS-18303

PTD Stud

Brass-nickel plate.
Sold 100 per bag.



SKU:
92-XX-18201

PTD Socket

Brass-nickel plate.
Sold 100 per bag.



SKU:
92-X8-183074

PTD Screw Stud

Brass-nickel plated stud head, 3/8" stainless screw. Sold 100 per bag.



Quantity Discounts!
DOT Fasteners are sold in 100 per box.

You can also get a discount when you order boxes of 10 or more!

GROMMETS

SKU:
SPGW2B (Brass)
SPGW2N (Nickel)

#2 Self-Piercing Grommets

3/8" Brass / Nickel Grommets for use with the Hand Press Machine and/or PRES-N-SNAP tool.
Sold 500 per bag.

HAND PRESS AVAILABLE!
See page 35.



Brass



Nickel

QUALITY MARINE FITTINGS

Top Quality Marine Fittings from NEPCO Products! All Fittings are 316 Stainless Steel.

SKU:
88323-1

Universal Deck Hinge

2- $\frac{5}{8}$ " long x $1\frac{1}{16}$ " wide x $1-\frac{3}{8}$ " high -
Drilled for #10 Screws.
Hinge has Panhead Screw
1/4-20 Included and Pivots 180 Degrees.



SKU:
88320

90dg. Deck Hinge

Base Size: $\frac{3}{4}$ " x 2"
Drilled for #10 Screws.
Hinge has Panhead Screw
1/4-20 Included.



SKU:

88397HD-1" (For 1")
88396HD-7/8" (For $\frac{7}{8}$ ")

Outside Eye End (Heavy Duty)

Made for 1" and $\frac{7}{8}$ "
O.D. Tube. Eye Drilled
for $\frac{1}{4}$ " Screw or Pin 2 Set
Screws for Extra Holding Power.



SKU:
88322N

Deck Hinge Angle Base (w/o Pin)

Base Size: $\frac{3}{4}$ " x 2"
Drilled for #10 Screws.
 $\frac{1}{4}$ " Drilled Hole in
Hinge (Pin Not Included).



SKU:
88320N

90dg. Deck Hinge (w/o Pin)

Base Size: $\frac{3}{4}$ " x 2"
Drilled for #10 Screws.
 $\frac{1}{4}$ " Drilled Hole in Hinge
(Pin Not Included).



SKU:

88314-1" (For 1")
88313-7/8" (For $\frac{7}{8}$ ")

Outside Eye End

Made for 1" and $\frac{7}{8}$ " O.D.
Tube. Eye Drilled for $\frac{1}{4}$ "
Screw or Pin.



SKU:
88321

Rail Hinge Concave Base

Base Size: $\frac{7}{8}$ " x 2"
Drilled for #10 Screws.
Hinge has Panhead
Screw 1/4-20 Included.



SKU:
88322

Deck Hinge Angle Base

Base Size: $\frac{3}{4}$ " x 2"
Drilled for #10 Screws.
Hinge has Panhead
Screw 1/4-20 Included.



SKU:

88366-1 (For 1")
88365-1 (For $\frac{7}{8}$ ")

Locking, Hinged Rail / Jaw Clamp

Made for 1" and $\frac{7}{8}$ " O.D.
Rail with $\frac{5}{16}$ " Hinged Pin.
Comes with Locking Screw and Bolt.



SKU:
88399HD-1 (For 1")
88398HD-7/8" (For $\frac{7}{8}$ ")

Jaw Slide (Heavy Duty)

Made for 1" and $\frac{7}{8}$ " O.D.
tube. Hinge has Panhead
Screw 1/4-20 Included.
2 Set Screws for Extra Holding Power.



SKU:
88317N-1 (For 1")
88316N-7/8" (For $\frac{7}{8}$ ")

Jaw Slide (w/o Pin)

Made for 1" and $\frac{7}{8}$ " O.D.
tube. $\frac{1}{4}$ " Drilled Hole in
Hinge. (Pin Not Included).



SKU:

88317-1" (For 1")
88316-7/8" (For $\frac{7}{8}$ ")

Jaw Slide

Made for 1" and $\frac{7}{8}$ " O.D.
tube. Hinge has Panhead
Screw 1/4-20 Included.



SKU:
88545

Pad Eye, Cast

Overall Length $1-\frac{7}{8}$ "
with height of $\frac{5}{8}$ ".
Drilled for #10 screw.



SKU:
88547

Quick Release Pin (w/Cable and Tab)

$\frac{1}{4}$ " O.D. with a $\frac{7}{8}$ " grip
range. 6" Stainless-Steel
Cable Nylon Coated with
Stainless-Steel Tab.



SKU:
89007

Fast Eye Snap Hook (Heavy Duty)

Overall Length 2" with
inside diameter of $\frac{1}{4}$ "
x 1". For 1" Webbing.



SKU:
88998

D-Ring

1" x $\frac{3}{16}$ " Welded.



SKU:
89000

Adjuster Buckle

For 1" Webbing.



MARINE TRACK


SKU: 6421

Aluminum Rail
(A-15 - 135° Anodized)

1-1/4" Width - 3/8" I.D.

16' Lengths Only

For use with 8.5mm keder welt.



3/8" = 9.525mm


SKU: 6028

Awning Rail
(Plastic White)

1-5/16" Width - 3/8" I.D.

8' Lengths Only

For use with 8.5mm keder welt.




3/8" = 9.525mm

COSTA TRACK

Rigid PVC Marine Track


Made from rigid PVC, Costa Track® is far superior to anything else currently in use. Designed to replace the old flange type track and used for a variety of enclosure applications. Comes with pre-drilled holes every 4" for quick installation. Use with 8.5mm keder welt.

SKU	Color	Length	Type
T240W-REGULAR	Off-white	24'	Flangeless
T160W-CONCAVE	Off-white	16'	Concave
T24W-REGULAR	White	24'	Flangeless
T16W-CONCAVE	White	16'	Concave



3/8" = 9.525mm

Concave



3/8" = 9.525mm

Flangeless

For use with 8.5mm keder welt.

AWNING FITTINGS

SKU:

3408T (3/4") *Fits AWG-1029

1208T (1/2") *Fits AWG-815

Threaded Eye
End 3/4" & 1/2" Pipe

Galvanized Threaded Eye End 3/4" or 1/2". Made of malleable iron.



SKU:

3412T (3/4") *Fits AWG-1029

1212T (1/2") *Fits AWG-815

Threaded Elbow
3/4" & 1/2" Pipe

Galvanized Threaded Elbow 3/4" & 1/2". Made of malleable iron.



SKU:

2145

OB Hinge Zinc Die Cast

Non-galvanized, large hinge, made of Zinc. Die-cast with Stainless Steel Machine screw & nut.

**Use With 108S-1, 3408T & 1208T only*



SKU:

3808T (3/8") *Fits SZ-5/8"

1408T (1/4") *Fits SZ-1/2"

Threaded Eye
End 3/8" & 1/4" Pipe

Threaded malleable eye end.

3/8" eye end has a #3 small eye and can be used with either 3/8" pipe or 5/8" solid rod. 1/4" eye end has a #2 small eye and can be used with either 1/4" pipe or 1/2" solid rod.

For use in window awnings.



SKU:

ACZ4

Awning Cleat 4 1/2"

4 1/2" die-cast, zinc cleat.

Two pre-drilled holes to fit #8 wood screws. These cleats are designed for outdoor applications.



SKU:

SSEP-1/2"

SSEP-5/8"

Single (Swivel Eye)

Pulley 1/2" & 5/8"

Small pulley has a 1/2" diameter and a nylon sheave to be used with 1/8" cord size. Medium pulley has a 5/8" diameter and a nylon sheave to be used with 3/16" cord size. These pulleys are made of rust-proof stamped aluminum with an aluminum pin. Used in outdoor applications.

See page 42 for our solid braid cord!



Quantity Discounts!
Price Breaks at 25 & 100!

AWNING FITTINGS (Cont.)

SKU: * Fits 1315/24/TRIPLE & AWG-1315/24
117S-1

1" Pipe Front Bar Clamp

Galvanized malleable iron clamp. Features one-piece claw design for easy assembly of rafters to the front bar. Stainless steel square head screws insure a secure attachment. *This fitting is designed to work with any 1.315" O.D. Round Tubing.*



SKU: * Fits 1315/24/TRIPLE & AWG-1315/24
107S-1

1" Pipe Post Socket

Adjustable fit design for 1" pipe. Galvanized malleable rod and coated for a lifetime of rust-free protection. Stainless steel fastener. *This fitting is designed to work with any 1.315" O.D. Round Tubing.*



SKU: * Use With 3808T & 1408T only
114S

Camelback Hinge

1/16" galvanized steel hinge used to fasten projection arms of window or stationary frames to buildings. Stainless steel screw can be fastened tight and can fit a #1 or #2 grommet.



SKU:
103S
Molding Clip

Aluminum clip is secured to the head rod molding using a stainless steel carriage bolt, nut & washers.



SKU:
204S
Double Hole Head Rod Clamp with Hooks

Zinc die-cast with stainless steel bolt and wing nut. Attaches the head rod to the building with hooks for hanging pulleys. Use with 1/2" head rod.



SKU: * Fits 1315/24/TRIPLE & AWG-1315/24
105S-1

Adjustable Front Bar Fitting 1" Pipe

Galvanized stamped steel clamp attached to a zinc die-cast collar. For front bar and rafter. *This fitting is designed to work with any 1.315" O.D. Round Tubing.*



SKU: * Fits 1315/24/TRIPLE & AWG-1315/24
112S

1" Pipe Corner Elbow

Adjustable fit design. Made of galvanized malleable iron with rust-free ecoating finish. Corner elbow joins the end rafter to the front bar, producing a smooth fit for the fabric at the corner. *This fitting is designed to work with any 1.315" O.D. Round Tubing.*



SKU: * Fits 1315/24/TRIPLE & AWG-1315/24
108S-1

1" Pipe Eye End

Adjustable fit design for 1" pipe. Made of malleable iron with anti-rust ecoating finish. Stainless steel square head screw with concave end for better holding power. *This fitting is designed to work with any 1.315" O.D. Round Tubing.*



SKU:
101S
Aluminum Jaw Ends

Aluminum body with stainless steel fasteners. Slides into head rod molding track for easy spacing of rafters.



SKU:
304S
Head Rod Clamp Roller Curtain Style
Zinc die-cast with stainless steel bolt and wing nut. Attaches the head rod to the building and has hooks on the tab for pulleys & pull ropes (for curtains). Use with 1/2" head rod.



SKU:
104S-1/2
1/2" Head Rod Clamp

Single 1/2" hole. Zinc die-cast base with stainless steel bolt and wing nut.



SKU:
109S
Rod and Rafter Holder

Used with 1/4" and 1/2" head rod. Roof or fascia mounted fitting has a durable hot-dipped galvanized finish. Stainless steel wing-nut and bolt.



SKU: * Fits 1315/24/TRIPLE & AWG-1315/24
118S-1

1" Pipe Slip Fit Tee

Galvanized malleable iron tee with ecoating rust-free protection. Can be used to join uprights or rafters to the front bar. Stainless steel screw for the front bar goes in at a 45 degree angle to prevent fabric wear. *This fitting is designed to work with any 1.315" O.D. Round Tubing.*



SKU: * Fits 1315/24/TRIPLE & AWG-1315/24
102S-1

1" Pipe Clamp

Stamped steel design for 1" pipe. Hot dipped galvanized with a stainless steel carriage bolt & nut. *This fitting is designed to work with any 1.315" O.D. Round Tubing.*




SKU: * Fits 1315/24/TRIPLE & AWG-1315/24
110S (Short Clamps)
111S (Long Clamps)
Tie-Down Clamps

Galvanized steel clamps prevent water from pooling behind the front bar when the smaller end of the awning is laced to a 1/2" & 3/8" solid rod or 3/8" & 1/4" pipe held in place by the clamp. Includes stainless steel carriage bolt and hex nut. Longer clamp (1" longer) is designed for greater pull on the front of the awning. *These fittings (at the larger end) are designed to work with any 1.315" O.D. Round Tubing.*




NEPCO Stocks More Awning Tubing for Next Day Truck Delivery!

Profiles shown are not to scale. See drawing for dimensions.




SKU:
AWG-SQ-1/2
Light Wall

1/2" x 1/2"
.045" Wall
24' Lengths




SKU:
AWG-SQ-3/4
Standard Wall

3/4" x 3/4"
1/10" Wall
24' Lengths




SKU: **AWG-MI2X2**
Heavy Wall

2" x 2" x 1/8" Wall
24' Lengths Only




SKU:
AWG-MI5
Light Wall

Steel Stitch
#SMP-4D
1" x 1"
1/16" Wall
24' Lengths



SKU:
AWG-MI09
Standard Wall


Steel Stitch
#SMP-4C
1" x 1"
1/10" Wall
24' Lengths



SKU:
AWG-MI4
Heavy Wall


Steel Stitch
#SMP-4B
1" x 1"
1/8" Wall
24' Lengths

**MOST
POPULAR**




SKU:
AWG-MI56
Standard Wall w/1" Flanges

Steel Stitch
#SMP-3CP
1" x 1"
1/10" Wall
24' Lengths



SKU: **AWG-MI3**
Standard Wall


1" x 2"
1/10" Wall
24' Lengths



SKU: **AWG-MI3H**
Heavy Wall


Steel Stitch #SMP-515

1" x 2"
1/8" Wall
24' Lengths



SKU: **AWG-MIHR-37**
Head Rod

Molding Style #37
24' Lengths Only



SKU:
AWG-SQ-AR
Light Wall w/Awning Rail


1" x 1" x 1/16" Wall
24' Lengths Only



SKU: **AWG-MIAR**
Flat Awning Rail


1" x 20' Lengths

For use with 8.5mm keder welt.



SKU:
AWG-MIR0D5
1/2" Diameter Solid Aluminum Rod

Steel Stitch #SMP-7
20' Lengths Only



DON'T FORGET! - CAP PLUGS!

NEPCO Products now stocks Black Plastic Cap Plugs for all 1" x 1" square tubing. For more info turn to page 27!

HARDWARE

NEPCO MATCHED STAPLE SYSTEM - ALUMINUM TUBING

**MOST
POPULAR**

SKU: AWG-MP1
Heavy Wall
Steel Stitch #SMP-1B
1" x 1" x 1/8" Wall
24' Lengths Only

AWG-MP1

SKU: AWG-MP1A
Standard Wall
Steel Stitch #SMP-1C
1" x 1" x 1/10" Wall
24' Lengths Only

AWG-MP1A

SKU: AWG-MP1C
Light Wall
Steel Stitch #SMP-1D
1" x 1" x 1/16" Wall
24' Lengths Only

AWG-MP1C

SKU: AWG-MP2
Standard Wall w/ 1-1/2" Flange
Steel Stitch #SMP-2C
1" x 1" x 1/10" Wall
24' Lengths Only

AWG-MP2

SKU: AWG-MP2A
Standard Wall w/ 1" Flange
Steel Stitch #SMP-2C
1" x 1" x 1/10" Wall
24' Lengths Only

AWG-MP2A

SKU: AWG-MP2B
Standard Wall w/ 1" Flange
Steel Stitch #SMP-2BS
1" x 1" x 1/10" Wall
24' Lengths Only

AWG-MP2B

SKU: AWG-MP3H
Heavy Wall
Steel Stitch #SMP-8B
1" x 2" x 1/8" Wall
24' Lengths Only

AWG-MP3H

SKU: AWG-MP3
Standard Wall
Steel Stitch #SMP-8C
1" x 2" x 1/10" Wall
24' Lengths Only

AWG-MP3

SKU: AWG-MP3A
Standard Wall w/ 1-1/2" Flange
1" x 2" x 1/10" Wall

AWG-MP3A

SKU: AWG-MP3AS
Standard Wall w/ 1" Flange
1" x 2" x 1/10" Wall
24' Lengths Only

AWG-MP3AS

SKU: AWG-MP4
1" x 4" Beam
1" x 4" x 1/10" Wall
24' Lengths Only

SKU: AWG-MP5
Standard Wall Facia Band Bleed Frame w/ 1" Flange
1" x 1" x 1/10" Wall
24' Lengths Only

AWG-MP4

AWG-MP5

SKU: AWG-MP3S
Standard Wall
1" x 2" x 1/10" Wall
24' Lengths Only

AWG-MP3S

SKU: AWG-MP3HS
Heavy Wall
1" x 2" x 1/8" Wall
24' Lengths Only

AWG-MP3HS

SKU: AWG-MP2X2
Heavy Wall
Steel Stitch #SMP-22B
2" x 2" x 1/8" Wall
24' Lengths Only

AWG-MP2X2

Not Just Galvanized...
it's **GATORSHIELD**

by **allied**
TUBE & CONDUIT

Please Note: Our 1" Awning Fittings are Designed to Work with any 1.315" O.D. Round Tubing



Interior Corrosion Resistant Coating

Hot-Dipped Flo-Coat Uniform Zinc Galvanizing


Conversion Coating

Clear Organic Coating

Cold Formed Steel High-Yield High Tensile Strength




See inserted **Round Tubing Conversion Chart** Page or view it on our website under Awning & Marine: Tubing & Parts section




SKU:
AWG-1660/24
Equiv. to 1 1/4" Pipe Size
1.494" ID x 14 gauge
24' Lengths


MOST POPULAR



SKU:
AWG-1315/24
Equiv. to 1" Pipe Size
1.149" ID x 14 gauge
24' Lengths




SKU:
AWG-1029/24
Equiv. to 3/4" Pipe Size
.863" ID x 14 gauge
24' Lengths



SKU:
AWG-815/24
Equiv. to 1/2" Pipe Size
.671" ID x 15 gauge
24' Lengths



SKU:
AWG-625/24
Equiv. to 3/8" Pipe Size
.495" ID x 16 gauge
24' Lengths



SKU:
AWG-500/24
Equiv. to 1/4" Pipe Size
.402" ID x 18 gauge
24' Lengths


A Must Use Product!

Match-Maker™
Corrosion Resistant Touch-Up Paint




Specifically designed to be used on Galvanized steel finishing. While this paint works well for many uses, the most common application is restoring a bright finish to galvanized steel after welding.


SKU: MPMMSP
12oz. Aerosol Can




SKU:
16GA/GAT.75X.75
3/4" x 3/4" x 16 gauge
24' Lengths




SKU:
16GA/GATOR/24'
1" x 1" 16 gauge
24' Lengths



SKU:
18GA/GATOR/24'
1" x 1" 18 gauge
24' Lengths



SKU:
16GA/GATOR1x224
1" x 2" 16 gauge
24' Lengths




SKU:
15GA/GATOR2x2
2" x 2" 15 gauge
24' Lengths


GatorStitch Steel Staple System

The strength of steel matched with the convenience of an aluminum staple-in channel! Gatorshield coated steel tubing has been the standard of excellence and the product of choice for outdoor structures for over 15 years.

The Gatorshield coating is a premium triple-layer rust and corrosion resistant product protection. Coatings of zinc and chromate are applied, then a clear polymer topcoat seals the surface. The result is unmatched, long-lasting rust and corrosion protection. Gatorshield's bright, smooth and uniform surface retains its attractive appearance for an extended period.



GatorStitch works Great with our Vinyl Inserts! (Found on Page 30)




SKU:
18GA/GATOSTITCH
1" x 1" 18 gauge.
20' Lengths Only

HARDWARE


STAINLESS & GALVANIZED STEEL TUBING AND GALVANIZED STEEL ROD STOCK

NEPCO QUALITY MARINE 304 & 316 Stainless Steel Tubing




SKU: 6017-304

Polished 304 Stainless Steel Tubing with 7/8" OD with a .065 Wall 24'2" Lengths




SKU: 6017-316

Polished 316 Stainless Steel Tubing with 7/8" OD with a .065 Wall 24'2" Lengths



SKU: 6026-304


Polished 304 Stainless Steel Tubing with 1" OD with a .065 Wall 24'2" Lengths



SKU: 6026-316


Polished 316 Stainless Steel Tubing with 1" OD with a .065 Wall 24'2" Lengths

NEPCO TRIPLE COAT Smooth Galvanized Tubing




SKU: 16GA/TRIPLE2X2

2" x 2" 16 gauge 24' Lengths




SKU: 16GA/TRIPLE1X2

1" x 2" 16 gauge 24' Lengths




SKU: 16GA/TPL1.5x1.5

1.5" x 1.5" 16 gauge 24' Lengths



SKU: 16GA/TRIPLE1X1

1" x 1" 16 gauge 24' Lengths




SKU: 18GA/TRIPLE1X1

1" x 1" 18 gauge 24' Lengths

Please Note:
Our 1" Awning Fittings are Designed to Work with any 1.315" O.D. Round Tubing

SKU: 1315/24/TRIPLE

1" ID x 14 gauge 24' Lengths



Plastic Cap Plug (1" x 1")

Can be used on any 1" x 1" square piece of galvanized, aluminum or steel tubing with a wall thickness of 18 gauge and up to a maximum wall thickness of 1/8". Protects and seals from anything entering the tube.


SKU:

SQR-1-14-20-BLK (Black)

SQR-1-14-20-GRY (Light Gray)



(Black)



(Light Gray)

Galvanized Awning /Canopy Base Plate (4" x 4" x 1/4")

Galvanized base plate designed to be welded to Vertical Round or Vertical Square Supports

SKU: AWG-BP4

4" x 4" x 1/4" with 1/2" Holes 18 gauge



Galvanized Awning /Canopy Base Plate (6" x 6" x 1/4")

Galvanized base plate designed to be welded to Vertical Round or Vertical Square Supports

SKU: AWG-BP6

6" x 6" x 1/4" with 1/2" Holes 18 gauge



SOLID GALVANIZED HEADROD-AWNING IRON

For Window Awnings, Tie Down Bars, Etc.

In the bending process of making awning frames, this awning iron will not break when bent to the right angles. The zinc plating will not chip or flake off during bending. Also used for lacing and tie down bars, and in conjunction with head rod molding.

SKU

SZ-1/2" (to be used with 1408T Eye End)

Size

1/2" Dia.

Length

20ft.

SZ-5/8" (to be used with 3808T Eye End)

5/8" Dia.


20ft.



www.nepcosignsupply.com

BRACKETS

- A** **SKU: AWG-UAB-11**
Zinc Short Leg Z-Bracket
- B** **SKU: AWG-UAB-11L**
Zinc Medium Leg Z-Bracket
- C** **SKU: AWG-UAB-11L2**
Zinc Long Leg Z-Bracket
- D** **SKU: AWG-UAB-SEC**
Zinc U-Bracket
- E** **SKU: AWG-UWTL-11**
Zinc Large Weld Tabs
- F** **SKU: AWG-UWTS-11**
Zinc Small Weld Tabs
- G** **SKU: AWG-MI6**
Aluminum Short Leg Z-Bracket



	A	B	C	Width	Length	Thickness
AWG-UAB-11	1.5"	1"	.87"	1.5"	—	⅛"
AWG-UAB-11L	2.46"	1"	.71"	1.5"	—	⅛"
AWG-UAB-11L2	3.25"	1"	.71"	1.5"	—	⅛"
AWG-UAB-SEC	—	—	—	1.5"	2.25"	⅛"
AWG-UWTL-11	—	—	—	.75"	2.5"	⅛"
AWG-UWTS-11	—	—	—	.75"	1.5"	⅛"
AWG-MI6	1.75"	—	—	.75"	1.5"	⅛"


FastClip™

Aluminum Bracket System for Signs & Awnings


Build or Repair Awning and Sign Frames WITHOUT WELDING!

Build or Repair an
Awning with
TekScrews!
Keep a box on hand for
unexpected field repairs.


**SKU:
AWG-1CLIP
FastClip #1**




**SKU:
AWG-2CLIP
FastClip #2**




**SKU:
AWG-3CLIP
FastClip #3**




**SKU:
AWG-4LCLIP
FastClip #4L**




**SKU:
AWG-4RCLIP
FastClip #4R**




**SKU:
AWG-5LCLIP
FastClip #5L**




**SKU:
AWG-5RCLIP
FastClip #5R**




**SKU:
AWG-6CLIP
FastClip #6**




**SKU:
AWG-7CLIP
FastClip #7**



**SKU:
AWG-8CLIP
FastClip #8**



**SKU:
AWG-9CLIP
FastClip #9**



LIGHT FIXTURES

Standard High-Output, Low-Profile Fluorescent

Available in 4', 6' & 8' Lengths

One Price / Any Size!

SKU:

4' Fixture **4-L248HO-DL**

6' Fixture **6-L272HO-DL**


8' Fixture **8-L296HO-DL**

UL Listed for Damp and Dry Locations

Two Lamp Type with Energy-Efficient
Low Profile Electronic Ballast

Pre-finished 23 Gauge Steel
with White Baked-on Enamel

Can be used in a Continuous Run
or as a Single



LAMPS

T12 High-Output Fluorescent

NEPCO STOCKS ALL SIZES— From 18" to 120".
Cool White and Daylight.

BUY SINGLES OR BUY THE CASE!

Daylight SKU:

Cool White SKU:

4' **F48T12/D/HO**

F48T12/CW/HO

6' **F72T12/D/HO**

F72T12/CW/HO

8' **F96T12/D/HO/CT**

F96T12/CW/HO/CT


**NO ONE
BEATS
NEPCO
ON LIGHTING!**

Our Roots Are In Lighting.

We stock more lamps and
offer the BEST PRICES and
WIDEST SELECTION in
the industry.

NO MORE BROKEN LAMPS!

Order a few lamps or a few cases! NEPCO safely delivers your
lighting supplies with the lowest minimums in the Northeast!




STYRENE EGG CRATE

Awning Lens

2' x 4' White Styrene
1/2" x 1/2" x 3/8" Grid

SKU: 2x4EGG (15/Carton)



2' x 4' Black Styrene
1/2" x 1/2" x 3/8" Grid

SKU: 2x4EGG/BLK (15/Carton)

White egg crate panels are the most popular
material in the awning industry for overhead
back-lit awnings. Egg crate panels conceal light
fixtures and wiring while allowing substantial light
to shine down.

Manufactured of durable styrene, they can easily
be cut to size with standard cutting tools.

NEPCO Delivers Custom Neon!
NEPCO is long known to be the Premier
Wholesale Neon Fabricating Facility in the
Northeast. We're also the largest supplier
of ballasts, transformers and all types of
electrical supplies for the sign, graphics &
awning industry.




VINYL INSERTS

~ Low-Profile Staple Channel Covers.

~ Maximum UV Inhibitors and Mildew Resistors for Long Life.

~ Supple Durometer Means Less Labor

~ Tight Fit Design (air chamber expands and contracts)

	SKU:		SKU:		SKU:
	Black AWG-CP01		Pink AWG-CP10		Plum AWG-CP19
	Dark Blue AWG-CP02		Red AWG-CP11		Sunflower AWG-CP20
	Mid Blue AWG-CP03		Clear AWG-CP12		Beige AWG-CP21
	Brown AWG-CP04		Teal AWG-CP13		Light Green AWG-CP22
	Burgundy AWG-CP05		Terracotta AWG-CP14		Light Blue AWG-CP23
	Green AWG-CP06		Turquoise AWG-CP15		Navy Blue AWG-CP24
	Gray AWG-CP07		White AWG-CP16		Purple AWG-CP29
	Ivory AWG-CP08		Yellow AWG-CP17		
	Orange AWG-CP09		Magenta AWG-CP18		

Available in 350' Rolls Only
CALL FOR PRICING!

ZIPPERS

Zippers are everywhere in our daily lives, and with YKK's wide line and variety of zippers, NEPCO is sure to help you find the right zipper for your awning & marine needs. NEPCO stocks Zipper Tape, Coil Tape, Sliders, Separating #10, #8 Zippers and more to come!

Vislon Tapes and Sliders



Vislon Tape #5 & 10
(Available in Black and White)



Vislon Slider Single Pull Metal #5 & #10
(Available in Black and White)



Vislon Slider Double Pull Metal #10
(Available in Black and White)

SKU	Description	Specifications
#5 Tape ~ preferred for light-weight applications (cushions, upholstery, etc.)		
18041-WT	White #5 Vislon Polyester Tape - 100m Rolls	3/8" Chain
18041-BK	Black #5 Vislon Polyester Tape - 100m Rolls	3/8" Chain
# 5 Sliders (Metal)		
68707-WT-NL/BAG	White #5 Vislon Sliders - Sold by the Bag	Single Pull Locking Metal- 100/bag
68707-BK-NL/BAG	Black #5 Vislon Sliders - Sold by the Bag	Single Pull Locking Metal- 100/bag
#10 Tape ~ preferred for heavy-weight applications		
64155-WT	White #10 Vislon Polyester Tape - 54 yd Rolls	1-3/8" Wide / Tape - 3/4" Wide
64155-BK	Black #10 Vislon Polyester Tape - 54 yd Rolls	1-3/8" Wide / Tape - 3/4" Wide
# 10 Sliders (Metal)		
4690-WT-NL/BAG	White #10 Vislon Sliders - Sold by the Bag	Single Pull Metal - Nonlock - 100/bag
4690-WT-NL/SING	White #10 Vislon Slider - Sold Individually	Single Pull Metal - Nonlock
4891-WT-NL/BAG	White #10 Vislon Sliders - Sold by the Bag	Double Pull Metal - Nonlock - 100/bag
4891-WT-NL/SING	White #10 Vislon Slider - Sold Individually	Double Pull Metal - Nonlock
4690-BK-NL/BAG	Black #10 Vislon Sliders - Sold by the Bag	Single Pull Metal - Nonlock - 100/bag
4690-BK-NL/SING	Black #10 Vislon Slider - Sold Individually	Single Pull Metal - Nonlock
4891-BK-NL/BAG	Black #10 Vislon Sliders - Sold by the Bag	Double Pull Metal - Nonlock - 100/bag
4891-BK-NL/SING	Black #10 Vislon Slider - Sold Individually	Double Pull Metal - Nonlock

ZIPPERS (Cont.)

#10 Coil Zippers are preferred for U-shaped windows. Contours more easily around a radius.



Coil Tape #10
(Available in Black and White)



Coil Slider Single Pull Metal #10
(Available in Black and White)



Coil Slider Double Pull Metal #10
(Available in Black and White)

Coil Tapes and Sliders

SKU	Description	Specifications
Tape		
0013-WT	White #10 Coil Polyester Tape - 109yd Rolls	1-9/16" Wide / Tape - 9/16" Wide
0013-WT-27YD	White #10 Coil Polyester Tape - 27yd Rolls	1-9/16" Wide / Tape - 9/16" Wide
0013-BK	Black #10 Coil Polyester Tape - 109yd Rolls	1-9/16" Wide / Tape - 9/16" Wide
0013-BK-27YD	Black #10 Coil Polyester Tape - 27yd Rolls	1-9/16" Wide / Tape - 9/16" Wide
Sliders(Metal)		
80-WT-NL/BAG	White #10 Coil Sliders - Sold by the Bag	Single Pull Metal - Nonlock - 100/bag
80-WT-NL/SING	White #10 Coil Slider - Sold Individually	Single Pull Metal - Nonlock
4520-WT-NL/BAG	White #10 Coil Sliders - Sold by the Bag	Double Pull Metal - Nonlock - 100/bag
4520-WT-NL/SING	White #10 Coil Slider - Sold Individually	Double Pull Metal - Nonlock
80-BK-NL/BAG	Black #10 Coil Sliders - Sold by the Bag	Single Pull Metal - Nonlock - 100/bag
80-BK-NL/SING	Black #10 Coil Slider - Sold Individually	Single Pull Metal - Nonlock
4520-BK-NL/BAG	Black #10 Coil Sliders - Sold by the Bag	Double Pull Metal - Nonlock - 100/bag
4520-BK-NL/SING	Black #10 Coil Slider - Sold Individually	Double Pull Metal - Nonlock

#10 Separating Vislon Zippers (Metal)

SKU	Description	Specifications
#10 Zippers White		
41578WT24/BOX	White #10 - 24" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 50/box
41578WT36/BOX	White #10 - 36" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 50/box
41578WT48/BOX	White #10 - 48" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 25/box
41578WT60/BOX	White #10 - 60" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 20/box
41578WT72/BOX	White #10 - 72" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 20/box
41578WT84/BOX	White #10 - 84" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 10/box
41578WT96/BOX	White #10 - 96" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 10/box
41578WT120/BOX	White #10 - 120" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 10/box
41578WT24/SING	White #10 - 24" Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578WT36/SING	White #10 - 36" Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578WT48/SING	White #10 - 48" Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578WT60/SING	White #10 - 60" Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578WT72/SING	White #10 - 72" Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578WT84/SING	White #10 - 84" Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578WT96/SING	White #10 - 96" Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578WT120/SING	White #10 - 120" Vislon Zipper - Sold Individually	Double Pull Metal - Locking
#10 Zippers Black		
41578BK24/BOX	Black #10 - 24" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 50/box
41578BK36/BOX	Black #10 - 36" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 50/box
41578BK48/BOX	Black #10 - 48" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 25/box
41578BK60/BOX	Black #10 - 60" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 20/box
41578BK72/BOX	Black #10 - 72" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 20/box
41578BK84/BOX	Black #10 - 84" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 10/box
41578BK96/BOX	Black #10 - 96" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 10/box
41578BK120/BOX	Black #10 - 120" Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 10/box

Purchase our zippers by the box or individually!



#10 Vislon Zipper - White
(Available in various lengths)

ZIPPERS (Cont.)



#10 Vislon Zipper - Black
(Available in various lengths)

#10 Separating Vislon Zippers (Metal) (Cont.)

SKU	Description	Specifications
#10 Zippers Black		
41578BK24/SING	Black #10 - 24"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578BK36/SING	Black #10 - 36"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578BK48/SING	Black #10 - 48"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578BK60/SING	Black #10 - 60"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578BK72/SING	Black #10 - 72"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578BK84/SING	Black #10 - 84"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578BK96/SING	Black #10 - 96"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
41578BK120/SING	Black #10 - 120"Vislon Zipper - Sold Individually	Double Pull Metal - Locking



#8 Vislon Zipper - White
(Available in various sizes)

#8 Separating Vislon Zippers (Metal)

SKU	Description	Specifications
#8 Zippers White		
32239WT24/BOX	White #8 - 24"Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 50/box
32239WT36/BOX	White #8 - 36"Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 50/box
32239WT48/BOX	White #8 - 48"Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 25/box
32239WT54/BOX	White #8 - 54"Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 20/box
32239WT60/BOX	White #8 - 60"Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 20/box
32239WT72/BOX	White #8 - 72"Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 20/box
32239WT24/SING	White #8 - 24"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
32239WT36/SING	White #8 - 36"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
32239WT48/SING	White #8 - 48"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
32239WT54/SING	White #8 - 54"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
32239WT60/SING	White #8 - 60"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
32239WT72/SING	White #8 - 72"Vislon Zipper - Sold Individually	Double Pull Metal - Locking



#8 Vislon Zipper - Black
(Available in various sizes)

#8 Zippers Black		
32239BK24/BOX	Black #8 - 24"Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 50/box
32239BK36/BOX	Black #8 - 36"Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 50/box
32239BK48/BOX	Black #8 - 48"Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 25/box
32239BK54/BOX	Black #8 - 54"Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 20/box
32239BK60/BOX	Black #8 - 60"Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 20/box
32239BK72/BOX	Black #8 - 72"Vislon Zipper - Sold by the Box	Double Pull Metal - Locking - 20/box
32239BK24/SING	Black #8 - 24"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
32239BK36/SING	Black #8 - 36"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
32239BK48/SING	Black #8 - 48"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
32239BK54/SING	Black #8 - 54"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
32239BK60/SING	Black #8 - 60"Vislon Zipper - Sold Individually	Double Pull Metal - Locking
32239BK72/SING	Black #8 - 72"Vislon Zipper - Sold Individually	Double Pull Metal - Locking



#10 Zipper Topstop
(Available in stainless steel only)

Zipper Top-Stops

SKU	Description	Specifications
Stoppers		
31810VFTKT/SZP	Stainless Steel #10 Topstop - Sold by the Bag	100/bag

TOOLS


Awning Staple Gun / Staples



#92 Air Staple Gun

This specialized air staple gun was designed specifically to work with staple system awning assembly. Perfect pressure to pierce the aluminum cleanly and hold the fabric securely without tearing.

SKU: AWG-MI11A
Sold individually



#92 Stainless Steel Staples (Divergent Point Type)

Premium staples that resist corrosion. Perfect for awnings near the water or marine installations.

SKU: AWG-MI9SS
5,000/Box



#92 Galvanized Steel Staples (Divergent Point Type)


Great general purpose staples for use in any staple system assembly. Made especially for awning fabrication.

SKU: AWG-MI9G
5,000/Box

DIVERGENT POINT TYPE STAPLES ~ HOW DO THEY WORK?

Where very high holding power is required, Divergent point staples are extremely useful. These points are specially cut to guide the legs in a curve, instead of straight down in the material. The example shown to the right shows these points on the staple, as well as, how they cross when stapled.

If the legs are not parallel in the material, it is much harder to pull out the staple.



*Divergent Points

Upholstery Staple Gun / Staples



#7 Fasco Air Stapler (Long Nose)

Designed for hard to reach upholstery applications for use with all Fine Wire $\frac{3}{8}$ " Crown Staples $\frac{1}{4}$ " - $\frac{5}{8}$ " lengths.


SKU: 11077F
Sold individually



#7 Fasco Air Stapler (Short Nose)

Designed for upholstery applications. For use with all Fine Wire $\frac{3}{8}$ " Crown Staples $\frac{1}{4}$ " - $\frac{5}{8}$ " lengths.

SKU: 11074F
Sold individually



#7 Stainless Steel Staples

For use in all $\frac{3}{8}$ " Crown Staple Guns. Sold 10,000 per box.

SKU: EE706SS ($\frac{1}{4}$ ")
SKU: EE710SS ($\frac{3}{8}$ ")
SKU: EE712SS ($\frac{1}{2}$ ")

PRES-N-SNAP DIES

SKU:
BUTTON-DIE-DURA
Cap Die

For use with 93-10128 /
93-10127 / 92-18100
Button Caps.



SKU:
EYELET-DIE-DURA
Eyelet Die

For use with 93-10412 /
93-10413 Eyelets.



SKU:
STUD-DIE-DURA
Stud Die

For use with 93-10370 /
93-10379 Stud.



SKU:
SOCKET-DIE-DURA
Socket Die

For use with
93-10224 Socket.



SKU:
58-LTD-STUD-DIE
LTD Die #58

For use with
90-16358 Stud.



SKU:
8LTD-WASHER-DIE
LTD Die #8

For use with
90-16509 Washer.




SKU:
PD-SOCKET-DIE
PTD Socket Die

For use with
92-18201 Socket.



SKU:
22-GYPSY-DIE
Stud to Stud Die

For use with 93-10342
(Gypsy Stud)



#2 Rolling Die
(Left)

#2 Anvil Die
(Right)



**The Following Two
Dies are sold
Together!**

SKU:
250-GROMMET-DIE

For #2 self-piercing
grommets. Replacement
rubber rings are available.
(250R-RUB-RING)

The Following Two Dies are sold Together!



Turn-Lock Anvil Die
(Left)

Turn-Lock Rolling Die
(Bottom)



SKU:
TLA-TLR-DIES

For use with: 91-78317 CS Turnbuttons and
91-78502 CS Back Plates.

Small Order? No Problem!

NEPCO Products Ships via UPS
anywhere in the Country!
Call today for a **FREE** quote!



NEPCO also stocks various replacement rubber rings for all your dies!

SKU:
NO12-STUD-ORING
Stud "O" Ring

Used inside of Stud
Die to hold Stud
in place.



SKU:
6227-5-0-RING
Small "O" Ring

Used on Plunger to
hold Die and on all
Post Dies.



SKU:
M2700-GRAY-RING
Gray Ring

Holds Caps / Eyelets
in Dies.



PRES-N-SNAP TOOL

PRES-N-SNAP

The PRES-N-SNAP is capable of setting numerous types of fasteners, simply by changing the dies. Both lightweight and durable, it will ensure you years of trouble-free service.

24 Line (5/16" 15mm) Snap dies are compatible with Dot, Fastsnap, Rau, Ossian, Stocko, Vicar & YKK (Formerly Universal) Fasteners.

SKU: PRES-N-SNAP/#1

THE PRES-N-SNAP COMES WITH SIX DIES!

(Dies shown to the right are: Cap Die, Eyelet Die, Socket Die, Stud Die, #1 Anvil Die and #1 Rolling Die)



A list of appropriate dies are shown on page 34. All dies can also be purchased individually.

TOOLS & DIES

NEPCO Products offers #2 Self-Piercing Grommet Die Set as well as the 18lb Deep Throat Grommet Hand-Press. Additional dies and Hand-Presses are available via special order only.



Deep Throat (18lb.) Grommet Hand-Press

A professional quality, deep throat grommet hand-press. It has a 4-1/2" Throat Bench-mount or can be used freestanding. Has an angled & padded handle. Dies not included.

This Hand-Press will work with up to #4 Self Piercing Grommets, up to # 6 Sheet Metal Grommets, and up to #4 Rolled Rim Grommets, as well as Snaps, and Jean Accessories and Rivets.

Additional Grommet Dies and Grommets are available via special order only.

SKU: TEP-3

Sold individually

SKU: GROM-DIE#2

#2 Self-Piercing Grommet Die Set

Use these dies in the Deep Throat (18lb) Grommet Hand Press to install #2 self-piercing grommets and washers only. 3/8" inner diameter. Additional grommet dies are available upon request.



Canvas Snap Tool

The Top-Snapper is a stainless-steel snapper that will align, fasten and secure any indoor or outdoor snaps.

SKU: 008.1

Sold individually



Snap/Zipper Lubricant

Allow for easier snapping of those tough fasteners! This snap lubricant can cut through any corrosion without making any mess and will keep your zippers running smooth.

SKU: 008.63

6 oz. Tube Sold individually



TOOLS (Cont.)



Vice Grip Tensioning Clamp

The perfect tool for tensioning fabrics in staple system awning assembly. Keep several on hand.

SKU: AWG-MI16A
Sold individually



Boat Vent II

Allow stale air to flow out of the boat and allow fresh air in to keep down on mold and mildew. It will fit on either a 3/4" or 7/8" O.D. Tubing.

SKU: BV2BLKBOATVENT
Sold individually

Weld Wire

These OEM weld wire spools are perfect for your OTC Mig Boy Welder*. We offer aluminum(4043) wire and mild steel wire.


Aluminum (.44# per spool) 030 wire is used for 22 to 14 gauge aluminum welding.

SKU: MB-4043-30
Sold individually

Mild steel (1.1# per spool) 030 wire is used for plate thickness of 0.05" to 0.125".

SKU: MB-50-030
Sold individually

** Fits Mig Boy Welders Only*



Aluminum weld wire is shown on the left & mild steel weld wire is shown on the right.

Air Hammer

The air hammer provides precisely the right amount of cushioned force required to mold the vinyl insert into the staple channel. A drum tight finish is assured when using this tool.

Included:

Air hammer
Variety of O-Rings
Blue bumper tip- soft plastic
Black bumper tip- medium hard plastic
2 Allen wrenches
Instruction Manual

SKU: AWG-MI12
Sold individually



39" - 70" Mooring Pole

Our new telescoping cam lock support poles have been tested to hold up to 170 lbs. That's over twice the weight of standard thumbscrew mooring poles. They have a die cast collar and stainless steel components. The aluminum tubing is anodized, heat treated and has a ribbed profile for increased strength and lightweight. Its length can be anywhere from 39" (short) to 70" (long).

SKU: X70A-2-TIP-POLE
Sold individually




NEPCO Delivers ALL of Your Awning & Marine Canvas Materials to Your Door. Daily Deliveries Throughout New England and Nearby New York

TOOLS (Cont.)

CS Hand Punch

For use with 91-78403 / 91-78404 CS Eyelets.


SKU: 450-C4-PUNCH
Sold individually



LTD Hand Punch

For use with 90-16205 / 90-16206 LTD Eyelets.


SKU: 9951-L6-PUNCH
Sold individually



CS / LTD Hand Punch

For use with 90-16349 / 91-78332 / 91-78333 CS and LTD Studs.

SKU: 71-PUNCH
Sold individually



CS Hand Screw Driver

For use with 91-78324 / 91-78315 / 91-78325 CS Studs.


SKU: HT1214-TOOL
Sold individually



CS Power Screw Driver

For use with 91-78324 / 91-78315 / 91-78325 CS Studs.

SKU: QTTL-DIE
Sold individually



CLEANERS & PROTECTANTS

Our IMAR Strataglass Cleaner is uniquely formulated to clean, shine and protect all your PVC Window Vinyl Needs. Its Special UV Inhibitors will extended the life of your window film by minimizing the deteriorating effects of the Sun and is safe for everyday use.

Our IMAR Strataglass Polish is formulated to safely polish and protect all PVC Vinyl Window Material. It creates a protective barrier against the damaging effects of the harsh marine environments. Recommended to use every 2-3 months.

Arlon EradaShield is designed specifically for ColorKote™ TC to extend the UV protection of the flexible substrate in eradicated areas to eight years. EradaShield may be used in substitution of Plastiprint® FX heat transfer film, Series 2500 or Series 3500 translucent vinyls to cover the flexible substrate once the ink and protective coating have been removed.




SKU	Description	Size
#301CLEANER	IMAR Strataglass Protective Cleaner	16oz.
#302POLISH	IMAR Strataglass Protective Polish	16oz.
TCERADASHIELD	Arlon Eradashield Aerosol Protective	12oz.

INDUSTRIAL STRENGTH NEEDLES

All of our needles are San 5 needles, which are coated with a titanium nitride coating for a longer lasting needle used best with industrial type fabrics.

SKU	Description	Quantity
135X17X120/19S5	Standard Machine Needles	Box of 100
135X17X130/21S5	Standard Machine Needles	Box of 100
135X17X140/22S5	Standard Machine Needles	Box of 100
135X17X140/22SD	Diamond Point Machine Needles	Pack of 10
135X17X160/23S5	Standard Machine Needles	Box of 100
135X17X160/23SD	Diamond Point Machine Needles	Pack of 10

Turn to the next page to see our large selection of Sunguard Thread!



SUNGUARD THREAD

UV Bonded Anti-Wick Polyester

SUNGUARD has a custom color line to match 36 of the most popular acrylic fabrics in the awning-marine industry today. SUNGUARD is twisted and bonded through a state-of-the-art bonding and dyeing process to ensure the highest quality of colorfastness and performance. Every SUNGUARD product is manufactured to meet anti-wick standards, which reduces seam leakage. Each production lot is tested to meet or exceed Quality Assurance standards.

Applications Include:

- Awnings, Canvas and Tents
- Umbrellas and Outdoor Shade Structures
- Boat Covers, Enclosures and Upholstery
- Pool and Spa Covers
- Tarps and Covers
- Automotive Interior
- Outdoor Furniture
- Marine Products
- Transportation Products
- Inflatables



8oz - ½lb Spools

SKU	Color	Sizes
3SUN8-202Q-92	Oyster	92
3SUN8-203Q-92	Sand	92
3SUN8-207Q-92	Cardinal	92
3SUN8-208Q-92	Burgundy	92
3SUN8-213Q-92	Blue Wave	92

SKU	Color	Sizes
3SUN8-214Q-92	Pacific Blue	92
3SUN8-225Q-92	Mediterranean	92
3SUN8-216Q-92	Navy	92
3SUN8-220Q-92	Forest Green	92
3SUN8-222Q-92	Shark Grey	92

16oz - 1lb Spools

SKU	Color	Sizes
322-201Q-138	White	138
3SUN16-201Q-92	White	92

SKU	Color	Sizes
322-224Q-138	Black	138
3SUN16-224Q-92	Black	92

Bobbins

Sold in ½ Gross Boxes - 72 Per Box

SKU	Color	Style	Sizes
357-201Q-138	White	M	138
376-201Q-92	White	M	92
316-201Q-138	White	G	138
378-201Q-92	White	G	92

SKU	Color	Style	Sizes
357-224Q-138	Black	M	138
376-224Q-92	Black	M	92
316-224Q-138	Black	G	138
378-224Q-92	Black	G	92

AWNING BRAID

1³/₁₆" (Standard Style #681) - 100% Solution Dyed Acrylic Awning Braid.
 (Our awning braid is **not** a #4015 European Style Braid).

Roll Sizes: 100yd Rolls.

SKU	Color
ABA01	Pacific Blue
ABA03	Jockey Red
ABA04	Natural (White)
ABA08	Black
ABA21	True Brown
ABA24	Sky Blue
ABA26	Navy
ABA28	Toast
ABA30	Cadet Grey

SKU	Color
ABA31	Burgundy
ABA33	Linen
ABA37	Forest
ABA38	Coral
ABA44	Charcoal
ABA48	Taupe
ABA5040	Ocre
ABA5407	Henna
ABA5421	Palm



SKU	Color
ABA71	Fern
ABA72	Heather Beige
ABA79	Ocean Blue
ABA83	Parchment
ABA85	Ginkgo

RECACRIL BINDING

¾" and 1" Two Edge Turn (TET) BIAS 100% Solution Dyed Acrylic Binding.

Roll Sizes: 100yd Rolls.

**NEPCO Carries the ENTIRE
Recacril Design Line!**
For more information turn to
page 12!



Color	¾" SKU	1" SKU
White	R-0993/4TETBIAS	R-099-1-TETBIAS
Beige	R-1003/4TETBIAS	R-100-1-TETBIAS
Forest Green	R-1023/4TETBIAS	R-102-1-TETBIAS
Black	R-1033/4TETBIAS	R-103-1-TETBIAS
Raw	R-1173/4TETBIAS	R-117-1-TETBIAS
Linen	R-1263/4TETBIAS	R-126-1-TETBIAS
Cadet Grey	R-1383/4TETBIAS	R-138-1-TETBIAS
Heather Beige	R-1393/4TETBIAS	R-139-1-TETBIAS
Green	R-1633/4TETBIAS	R-163-1-TETBIAS
Admiral Blue	R-1703/4TETBIAS	R-170-1-TETBIAS
Blue	R-1723/4TETBIAS	R-172-1-TETBIAS
Navy Blue	R-1743/4TETBIAS	R-174-1-TETBIAS
Captain Navy	R-1753/4TETBIAS	R-175-1-TETBIAS

Color	¾" SKU	1" SKU
Burgundy	R-1773/4TETBIAS	R-177-1-TETBIAS
Vermellon	R-1823/4TETBIAS	R-182-1-TETBIAS
Atlantic Blue	R-1993/4TETBIAS	R-199-1-TETBIAS
Charcoal Tweed	R-7703/4TETBIAS	R-770-1-TETBIAS
Green Tweed	R-7713/4TETBIAS	R-771-1-TETBIAS
Blue Tweed	R-7723/4TETBIAS	R-772-1-TETBIAS
Linen Tweed	R-7753/4TETBIAS	R-775-1-TETBIAS

VALMEX BINDING & FACINGS

¾" and 1" Two Edge Turn (TET) BIAS Binding available in all non-special order Valmex Colors!

Also available is our Valmex Facings in all non-special order colors. These super-light facings which are double-folded into finished widths of 1-½" and 2". The material for binding and facings is used all around large awning vinyl windows to save space and material. The 1-½" facing has 1-½" folds and the 2" facing has a 2" fold.

Colors: Snow-White, Off-White, Light-Beige, Beige, Blue, Marine & Grey.

Product	SKU
Binding 100yds	4217-1100-XXXX
Binding 100yds	4217-1100-XXXX
Facing 1 ½" x 50yds	4217-1200-XXXX
Facing 2" x 50yds	4217-1201-XXXX

Blue binding shown on the left and 1-½" Beige facing shown on the right.

**MORE INFO ON VALMEX PRODUCTS
ON PAGE 11!**

1" HEAVYWEIGHT POLYPROPYLENE WEBBING

- Weight is .067"
- Tensile Strength 752 lbs min
- UV Resistance
- Solution Dyed For Color Fastness
- Available in White or Black
- 100 yd Rolls

SKU	Color	Sizes
WHW100WHITE-1"	White	100yds
WHW100BLACK-1"	Black	100yds



NEPCO Delivers ALL of Your Awning & Marine Canvas Materials to Your Door.
Daily Deliveries Throughout New England and Nearby New York

MARINE GRADE POLYESTER VELCRO

Velcro Marine Grade Polyester hook and loop fasteners are UV, chemical, and water resistant, making them ideal for applications where **outdoor durability** is a must.

SKU	Type	Size	Back	Color	SKU	Type	Size	Back	Color
155237-ADH	Loop 009	1" x 25yd	Acrylic Adhesive	Black	155476-ADH	Loop 009	2" x 25yd	Acrylic Adhesive	Black
155334-ADH	Hook 81	1" x 25yd	Acrylic Adhesive	Black	155474-ADH	Hook 81	2" x 25yd	Acrylic Adhesive	Black
190468-SEW	Loop 009	1" x 25yd	Sew-On	Black	190713-SEW	Loop 009	2" x 25yd	Sew-On	Black
190582-SEW	Hook 81	1" x 25yd	Sew-On	Black	190789-SEW	Hook 81	2" x 25yd	Sew-On	Black
155238-ADH	Loop 009	1" x 25yd	Acrylic Adhesive	White	155412-ADH	Loop 009	2" x 25yd	Acrylic Adhesive	White
155553-ADH	Hook 81	1" x 25yd	Acrylic Adhesive	White	155475-ADH	Hook 81	2" x 25yd	Acrylic Adhesive	White
190465-SEW	Loop 009	1" x 25yd	Sew-On	White	190711-SEW	Loop 009	2" x 25yd	Sew-On	White
190579-SEW	Hook 81	1" x 25yd	Sew-On	White	190787-SEW	Hook 81	2" x 25yd	Sew-On	White

GENERAL PURPOSE NYLON VELCRO

Velcro General Purpose Nylon hook and loop fasteners are suitable for a wide range of applications thanks to the versatility and durability of synthetic nylon yarns.

SKU	Type	Size	Back	Color
190911	Loop 1000	¾" x 25yd	Acrylic Adhesive	Black
190940	Hook 88	¾" x 25yd	Acrylic Adhesive	Black
190899	Loop 1000	¾" x 25yd	Acrylic Adhesive	White
190935	Hook 88	¾" x 25yd	Acrylic Adhesive	White
90082	Hook 88 & Loop 1000	¾" x 25yd	Acrylic Adhesive	White

Black Nylon
(Hook Side)



Black Polyester
(Loop Side)



6696-DOUBLE COATED POLYESTER ACRYLIC ADHESIVE TAPE

Product 6696 is a high performance, clear, double coated polyester tape with excellent resistance to high temperatures. Product 6696 is coated with an extremely aggressive acrylic adhesive. It is used for holding in place a wide variety of rigid and flexible substrates.

- Polyester film is easy to handle and adds strength and dimensional stability
- Laminates well to a variety of substrates, acrylic, PVC, polyester and coated fabrics
- Excellent balance of properties makes this product useful in a multitude of applications
- Performs well over a wide temperature range
- Can contour to any radius

SKU	Description	Size
6696-1/2	Double-Sided Seam Tape	½" x 60 yd
6696-1/4	Double-Sided Seam Tape	¼" x 60 yd
6696-3/4	Double-Sided Seam Tape	¾" x 60 yd



*½" & ¾" Double-Sided
Seam Tape Shown Above



NEPCO Delivers ALL of Your Awning & Marine Canvas Materials to Your Door.
Daily Deliveries Throughout New England and Nearby New York

3M 4622 VHB TAPE

- **36 yd Rolls!**
- Same as 6381 Not Blistered Packed
- White Waterproof Foamtape
- Great for Attaching Awning Track to Many Substrates
- High Performance, High Heat-Resistant Acrylic Adhesive




SKU	Description	Size
4622-1/2	Double-Sided 3M VHB Tape	1/2" x 36 yd
4622-7/8	Double-Sided 3M VHB Tape	7/8" x 36 yd

AMERICAN KEDER WELDED FLAP

Keder is specifically designed for use in outdoor tensile structures where strength and resistance to elements is crucial. Keder is a unique construction of heavy duty polyester-coated fabric welded to a cord of solid PVC material, resulting in a very strong, flexible and slippery track welting that slides and effortlessly bends and curves.

- Extremely strong and flexible!
- Effortlessly bends and curves with ease!
- Resists most elements that would normally damage regular welded flaps.
- Meets NAFTA requirements for duty free entry into Canada and Mexico.
- Available in 7.5mm or 8.5mm core welded diameters.
- Available in White or Black.
- Available in **110 yds and 27yds!**



SKU	Color	D	X	Length
13.0720.11-27YD	White	7.5mm	20mm	27yds
13.0720.11-ROLL	White	7.5mm	20mm	110 yds
13.0722.19-27YD	Black	7.5mm	22mm	27yds
13.0722.19-ROLL	Black	7.5mm	22mm	110 yds
13.0820.11-27YD	White	8.5mm	20mm	27yds
13.0820.11-ROLL	White	8.5mm	20mm	110 yds
13.0820.19-27YD	Black	8.5mm	20mm	27yds
13.0820.19-ROLL	Black	8.5mm	20mm	110 yds

20mm = 25/32"

22mm = 55/64"

Above keder with a "D" measurement of 7.5mm fits into 5/16" rail and measurement of 8.5mm fits into 3/8" rail.

JUST A REMINDER...
NEPCO Stocks Costa Track and Flex-a-Rail II for your awning supply needs. Turn to page 22 for more info!

POLYETHYLENE TUBING

With a 1/4" O.D. and a 1/8" I.D. UV, this inexpensive and practical polyethylene tubing is sewn into the hem of the awning when using an aluminum awning molding. This tubing will not rot, absorb water, shrink or unravel. Also used in retractable awnings.



SKU	Color	O.D.	I.D.	Length
LLDPE-1/4"	White	1/4"	1/8"	1000'

NEO (SOLID) BRAID POLYESTER CORD

- Solid Braid Polyester cord is made from High Tenacity Fibers
- Made with continuous filaments and knotless yarns for consistent strength throughout
- Made to the "Cordage Institute" High Performance specifications
- Stays round under load
- Soft lay eliminates kinking
- High abrasion resistance
- Will not rot or mildew
- Low stretch
- UV Stabilized
- Made in the USA
- 1000 ft Spools



SKU	Description	Color
#4-1/8"WPB	#4 Solid Braid Polyester 1/8"	White
#6-3/16"WPB	#6 Solid Braid Polyester 3/16"	White
#4-1/8"BPB	#4 Solid Braid Polyester 1/8"	Black
#6-3/16"BPB	#6 Solid Braid Polyester 3/16"	Black

HIDEM


Hidem is made from premium marine grade vinyl with and specially folded onto itself and sewn at both edges to form a 3/4" binding used to hold/hide staples or tacks and serves to trim/bind fabricated piece. Hidem folds back on itself which hides the staples or tacks. Available in all matching Seaquest colors.

Roll Size: 25yds Rolls.

WELT

High quality vinyl embossed welt / piping cording. Sew this welt cording in place to dress up any cushion. Very flexible, easy installation. Designed for marine use. Available in all matching Seaquest colors.

Roll Size: 50yds Rolls.



NEPCO Carries the ENTIRE Seaquest Line in Flat & Plated!

For more information turn to page 15!

*3/4" Hidem shown to the top left and Welt shown to the bottom left with a 1/2" tail and 1/8" piping tube.

Color	Hidem SKU	Welt SKU
001 American Beauty	S-001-HIDEM	S-001-WELT
002 Anchor	S-002-HIDEM	S-002-WELT
003 Buff	S-003-HIDEM	S-003-WELT
004 Chalk	S-004-HIDEM	S-004-WELT
005 Cove	S-005-HIDEM	S-005-WELT
006 Dune	S-006-HIDEM	S-006-WELT
007 Ebony	S-007-HIDEM	S-007-WELT
008 Emerald	S-008-HIDEM	S-008-WELT
009 Forest	S-009-HIDEM	S-009-WELT
010 Hampton	S-010-HIDEM	S-010-WELT
011 Havasu	S-011-HIDEM	S-011-WELT
012 Lemon Peel	S-012-HIDEM	S-012-WELT
013 Lighthouse Red	S-013-HIDEM	S-013-WELT
014 Lotion	S-014-HIDEM	S-014-WELT
015 Marble	S-015-HIDEM	S-015-WELT

Color	Hidem SKU	Welt SKU
016 Midnight	S-016-HIDEM	S-016-WELT
017 Mist	S-017-HIDEM	S-017-WELT
018 Navel	S-018-HIDEM	S-018-WELT
019 Navy	S-019-HIDEM	S-019-WELT
020 Oyster	S-020-HIDEM	S-020-WELT
021 Pearl Oyster	S-021-HIDEM	S-021-WELT
022 Pelican	S-022-HIDEM	S-022-WELT
023 Royal	S-023-HIDEM	S-023-WELT
024 Ruby	S-024-HIDEM	S-024-WELT
025 Sea White	S-025-HIDEM	S-025-WELT
026 Smoke	S-026-HIDEM	S-026-WELT
027 Teal	S-027-HIDEM	S-027-WELT
029 Too White	S-029-HIDEM	S-029-WELT
030 White Ice	S-030-HIDEM	S-030-WELT

NEED A SAMPLE?

SAMPLES AVAILABLE
UPON REQUEST!

SIGN/MARINE GRADE EXPANDED PVC UV STABILIZED

Easily works with conventional tools and great for usage in the Sign Industry, this 550 Density, UV Stabilized Expanded PVC is great for lots of applications, but yet not as strong as the Marine Grade Expanded PVC. Some of these applications include, but are not limited to:

- Signage
- Wood Replacement
- Marine/Seat Backboard & Bottoms
- Combing Pads
- Leaning Posts
- Cabinetry
- Instrument Panels/Consoles
- Case Goods

SKU	Size	Color	Masked
FMBG3	4' x 8' x 1/8" (3mm)	Beige	No
FMBG6	4' x 8' x 1/4" (6mm)	Beige	No
FMBK3	4' x 8' x 1/8" (3mm)	Black	No
FMBK6	4' x 8' x 1/4" (6mm)	Black	No
PVC4896BK50	4' x 8' x 1/2" (12mm)	Black	Yes
PVC4896BK75	4' x 8' x 3/4" (19mm)	Black	Yes
PVC4896BK1	4' x 8' x 1" (25mm)	Black	Yes
FMBL3	4' x 8' x 1/8" (3mm)	Dark Blue	No
FMBL6	4' x 8' x 1/4" (6mm)	Dark Blue	No
FMGN3	4' x 8' x 1/8" (3mm)	Green	No
FMGN6	4' x 8' x 1/4" (6mm)	Green	No
FMGY3	4' x 8' x 1/8" (3mm)	Gray	No
FMGY6	4' x 8' x 1/4" (6mm)	Gray	No
FMLGY3	4' x 8' x 1/8" (3mm)	Light Gray	No

SKU	Size	Color	Masked
FMLGY6	4' x 8' x 1/4" (6mm)	Light Gray	No
FMR3	4' x 8' x 1/8" (3mm)	Red	No
FMR6	4' x 8' x 1/4" (6mm)	Red	No
FMW3	4' x 8' x 1/8" (3mm)	White	No
FMW6	4' x 8' x 1/4" (6mm)	White	No
FMW10-550	4' x 8' x 3/8" (10mm)	White	No
PVC4896WT50	4' x 8' x 1/2" (12mm)	White	Yes
PVC4896WT75	4' x 8' x 3/4" (19mm)	White	Yes
PVC4896WT1	4' x 8' x 1" (25mm)	White	Yes
PVC48120WT50	4' x 10' x 1/2" (12mm)	White	Yes
PVC48120WT75	4' x 10' x 3/4" (19mm)	White	Yes
FMW6-510	5' x 10' x 1/4" (6mm)	White	No
FMY3	4' x 8' x 1/8" (3mm)	Yellow	No
FMY6	4' x 8' x 1/4" (6mm)	Yellow	No



SEABOARD (HDPE)

Made by Vycom Plastics, this UV stabilized material has great scratch, impact resistance and stiffness, yet is easy to fabricate and machine for the most demanding applications. Its ideal for outdoor cabinetry, furniture, signage and recreational area applications. Works great with conventional tools.



SKU	Size	Color
HDPE-BLK-1/4	54" x 96" x 1/4" (6mm)	Black
HDPE-PW-1/4	54" x 96" x 1/4" (6mm)	Polar White
HDPE-PW-3/8	54" x 96" x 3/8" (10mm)	Polar-White
HDPE-PW-1/2	54" x 96" x 1/2" (12mm)	Polar-White
HDPE-SF-1/2	54" x 96" x 1/2" (12mm)	Seafoam
HDPE-PW-3/4	54" x 96" x 3/4" (19mm)	Polar-White
HDPE-SF-3/4	54" x 96" x 3/4" (19mm)	Seafoam
HDPE-PW-1	54" x 96" x 1" (25mm)	Polar-White



ALUPANEL

Premium quality aluminum faces with a solid polyethylene core. This UV-stabilized product works great in any boat galley or cockpit area. Alupanel can be used for ceilings, backsplashes, shower stalls, wall mounts and much more. All Alupanel faces are **masked with a gloss on one side and a matte finish on the other**, unless stated otherwise. (Alupanel cannot be used for countertops.)

SKU	Size	Color	Finish
ALUBLK4896	4' x 8' x 1/8" (3mm)	Black / Black	Gloss / Matte
ALUBLK48120	4' x 10' x 1/8" (3mm)	Black / Black	Gloss / Matte
ALUBLK60120	5' x 10' x 1/8" (3mm)	Black / Black	Gloss / Matte
ALUBRHALUM4896	4' x 8' x 1/8" (3mm)	Brushed Aluminum / Silver Metallic	Gloss / Matte
ALUBRHALUM60120	5' x 10' x 1/8" (3mm)	Brushed Aluminum / Silver Metallic	Gloss / Matte
ALUBRHGLDEOP4X8	4' x 8' x 1/8" (3mm)	Brushed Gold / Brushed Copper	Gloss / Matte
ALUBURG4896	4' x 8' x 1/8" (3mm)	Burgundy / Burgundy	Gloss / Matte
ALUBLUDK4896	4' x 8' x 1/8" (3mm)	Dark Blue / Dark Blue	Gloss / Matte
ALUBLUBK60120	5' x 10' x 1/8" (3mm)	Dark Blue / Dark Blue	Gloss / Matte
ALUBRZDK4896	4' x 8' x 1/8" (3mm)	Dark Bronze / Dark Bronze	Matte / Matte
ALUGRNDK4896	4' x 8' x 1/8" (3mm)	Dark Green / Dark Green	Gloss / Matte
ALUGRNDK60120	5' x 10' x 1/8" (3mm)	Dark Green / Dark Green	Gloss / Matte
ALUBLULT4896	4' x 8' x 1/8" (3mm)	Light Blue / Light Blue	Gloss / Matte
ALUBLULT60120	5' x 10' x 1/8" (3mm)	Light Blue / Light Blue	Gloss / Matte
ALUGRNTREF4896	4' x 8' x 1/8" (3mm)	Light Green / Light Green	Gloss / Matte
ALUIVY4896	4' x 8' x 1/8" (3mm)	Ivory / Ivory	Gloss / Matte
ALUIVY60120	5' x 10' x 1/8" (3mm)	Ivory / Ivory	Gloss / Matte
ALURED4896	4' x 8' x 1/8" (3mm)	Red / Red	Gloss / Matte
ALURED60120	5' x 10' x 1/8" (3mm)	Red / Red	Gloss / Matte
ALUSILVMET4896	4' x 8' x 1/8" (3mm)	Silver Metallic / Silver Metallic	Gloss / Matte
ALUSILVMIR4896	4' x 8' x 1/8" (3mm)	Silver Mirror / Silver Mirror	Gloss / Matte
ALUDIGWT4896	4' x 8' x 1/8" (3mm)	White / White	Matte / Matte
ALUDIGWT4896-8M	4' x 8' x 5/16" (8mm)	White / White	Matte / Matte
ALUECOWHT2M	4' x 8' x 3/32" (2mm)	White / White	Matte / Matte
ALUECOWHT3M	4' x 8' x 1/8" (3mm)	White / White	Matte / Mill
ALUECOWHT3MD/F	4' x 8' x 1/8" (3mm)	White / White	Matte / Matte
ALUVALUWT60X120	5' x 10' x 1/8" (3mm)	White / White	Matte / Matte
ALUWT4896	4' x 8' x 1/8" (3mm)	White / White	Gloss / Matte
ALUWT4896-6M	4' x 8' x 1/4" (6mm)	White / White	Gloss / Matte
ALUWT48120	4' x 10' x 1/8" (3mm)	White / White	Gloss / Matte
ALUWT48120-6MM	4' x 10' x 1/4" (6mm)	White / White	Gloss / Matte
ALUWT60120	5' x 10' x 1/8" (3mm)	White / White	Gloss / Matte
ALUWT60120-6MM	5' x 10' x 1/4" (6mm)	White / White	Gloss / Matte
ALUYLW4896	4' x 8' x 1/8" (3mm)	Yellow / Yellow	Gloss / Matte
ALUYLW60120	5' x 10' x 1/8" (3mm)	Yellow / Yellow	Gloss / Matte



**COLOR SWATCHES
AVAILABLE!**

SAMPLES KEY RING
SWATCHES ARE
AVAILABLE - ADD ONE
TO YOUR NEXT ORDER!

MAKROLON AR

Abrasion-Resistant Window Clear

This Rigid Sheet of abrasion and enhanced UV-resistant polycarbonate offers glass-like clarity and hardness, coupled with the impact strength of standard polycarbonate. With its superior glass-like clarity, Makrolon AR offers less distortion compared to other marine clears and has 250 times the strength of standard float glass. Its also scratch-resistant coated on two-sides. **It's also easily Sewn Using Standard Equipment!** .040" and .060" Makrolon AR can be sewn using a #23 or #24 needle. For more information turn to page 16!



SKU	Description	Size
48/040/CLR/AR2	Clear Window Polycarbonate	44" x 92" x .040
48/060/CLR/AR2	Clear Window Polycarbonate	48" x 96" x .060

MAKROLON MARINE 5 **Abrasion-Resistant Window Clear**

This Rigid Sheet is designed for applications demanding high optical clarity, exceptional durability, and longevity against the harsh marine environment. State-of-the-art manufacturing processes provide low optical distortion for clear views and unparalleled sight lines. The advanced hard coat technology provides excellent abrasion resistance, enhanced clarity, chemical resistance, and long lasting outdoor weathering performance. For more information turn to page 17!



SKU	Description	Size
50110/060/CLRAR	Clear Window Polycarbonate	50" x 110" x .060
60110/080/CLRAR	Clear Window Polycarbonate	60" x 110" x .080

MAKROLON VR **Vinyl-Replacement Window Clear**

This Rigid Sheet is a polycarbonate product designed for high optical quality and exceptional durability. Proprietary UV technology ensures long lasting outdoor weathering performance and shades occupants from the sun's harmful UV rays. State-of-the-art manufacturing processes provide low optical distortion for clear views and unparalleled sight lines. For more information turn to page 17!



SKU	Description	Size
52110/040/CLRVR	Clear Window Polycarbonate	52" x 110" x .040

A			
Adjustable Front Bar Fitting 1"	23	Colorkote TC	6
Adjuster Buckle	21	Common Sense Fasteners	18-19
Aluminum		Cooley -	
Jaw Ends	23	Cooley Brite	9
Rod, Round 1/2"	24	Cooley Brite II	9
Tubing	24-25	Cooley Brite Lite	10
Alupanel	44	Cooley Seamless SM42	7
American Keder	41	Cooley Weathertyte	8
Air Hammer	36	Cooley Weathertyte Lite	8
Air Staple Guns -		Cord	42
#92	33	Corner Elbow, 1"	23
Fasco Long Nose	33	Costa Track	22
Fasco Short Noise	33	CS Hand Punch	37
Arlon -		CS Hand Screw Driver	37
Arlon Colorkote TC	6	CS / LTD Hand Punch	37
Arlon Eradicator	6	CS Power Screw Driver	37
DPF 390	7		
Awning -		D	
Brackets	28	Decorline Furniture Fabric	14
Braid	38	Deck Hinge (90dg.)	21
Fittings	22-23	Deck Hinge (90dg. w/o Pin)	21
Iron	27	Deck Hinge Angle Base	21
Plates	27	Deck Hinge Angle Base (w/o Pin)	21
Rail, Flat	24	Deep Throat Grommet Hand Press	35
Rail, w/Light Wall	24	Dies -	
		Grommet	35
B		PRES-N-SNAP	34
Binding -		DOT Durable Fasteners	19-20
Recacril	39	Double Hole Head Rod Clamp	23
Valmex	39	DPF 390	7
Boat Vent II	36	D-Ring	21
Bobbins	38		
Brackets -		E	
Awning	28	Elbow -	
Fast-Clip	28	Threaded	22
Braid	38	1" Corner	23
		Electrical -	
C		Egg Crate	29
Camelback Hinge	23	Lamps	29
Canopy Base Plate	27	Light Fixtures	29
Canvas Snap Tool	35	Egg Crate	29
Caps -		Eradicator	6
DOT Durable	20	Eye Ends -	
Plugs	24, 27	Eye End	23
Pull-the-DOT	20	Outside Eye	21
Clamps		Outside Eye (Heavy Duty)	21
Double Hole Head Rod	23	Threaded	22
Head Rod Clamp Curtain Style	23	Eyelet, DOT Durable	20
Tie-Down	23		
1" Front Bar	23	F	
1" Pipe	23	Fabric Chart	4-5
Cleaners -		Fabrics -	
IMAR Protective Cleaner	17, 37	Arlon Signtech	6
Clip, Molding	23	Cooley Brite	9
Coil -		Cooley Brite II	9
Sliders	31	Cooley Brite Lite	10
Tapes	31	Cooley Seamless SM42	7
		Cooley Weathertyte	8
		Cooley Weathertyte Lite	8
		DPF 390	7
		Recasens	12-14
		Sequest	15
		Sun Fabric	10
		Valmex	11
		Vinyl Window Clear	16-17
		VIP	12
		Facings, Valmex	39
		Fasco -	
		Air Stapler (Long Nose)	33
		Air Stapler (Short Nose)	33
		Fast-Clip Brackets	28
		Fasteners -	
		Common Sense	18-19
		DOT Durable	19-20
		Grommets	21
		Lift-the-DOT	18
		Pull-the-DOT	20
		Fast Eye Snap Hook (Heavy Duty)	21
		Flat Awning Rail	24
		Flex-A-Rail II	22
		Fire Rated Extruded	17
		Fittings -	
		Awning	22-23
		Quality Marine	21
		Front Bar Clamp	23
		Front Bar Fitting, 1" Adjustable	23
		G	
		Galvanized -	
		Base Plate	27
		Gatorshield Tubing	26
		Staples	33
		Steel Tubing (Triplecoat)	27
		Gatorshield Tubing	26
		Gatorstitch	26
		General Purpose Calendered	17
		General Purpose Nylon Velcro	40
		Grommet Hand-Press	35
		Grommets -	
		#2 Self-Piercing Grommets	20
		Common Sense	18
		Gypsy Stud	19
		H	
		Hand Punches -	
		CS	37
		CS / LTD	37
		LTD	37

INDEX

H (Cont.)

Hardware -

Aluminum Tubing.....	24-25
Brackets.....	28
Cleaners.....	37
Dies.....	34-35
Electrical.....	29
Fasteners.....	18-20
Fittings.....	21-23
Galvanized Steel Rod Stock.....	27
Galvanized Steel Tubing.....	26-27
Lighting.....	29
Needles.....	37
Protectants.....	37
Stainless Steel Tubing.....	27
Tools.....	33-37
Track.....	22
Vinyl Inserts.....	30
Zipppers.....	30-32

HDPE (Seaboard).....	43
----------------------	----

Headrod -

Aluminum.....	24
Awning Iron.....	27
Clamp, 1/2".....	23
Double Hole Clamp w/Hooks.....	23
Roller Curtain Style.....	23

Heavy Wall (Tubing).....	24-25
--------------------------	-------

Heavyweight Polypropylene Webbing.....	39
--	----

Hidem.....	42
------------	----

Hinges -

90dg. Deck.....	21
90dg. Deck (w/o Pin).....	21
Camelback.....	23
Deck Angle Base.....	21
Deck Angle Base (w/o Pin).....	21
Locking, Rail / Jaw Clamp.....	21
OB Zinc Die Cast.....	22
Rail (Concave Base).....	21
Universal Deck.....	21

Holder, Rod and Rafter.....	23
-----------------------------	----

Hook, Fast Eye.....	21
---------------------	----

I

IMAR Strataglass Cleaner.....	17, 37
-------------------------------	--------

IMAR Strataglass Polish.....	17, 37
------------------------------	--------

J

Jaw Clamp, Locking Hinged Rail.....	21
-------------------------------------	----

Jaw Ends, Aluminum.....	23
-------------------------	----

Jaw Slide.....	21
----------------	----

Jaw Slide (Heavy Duty).....	21
-----------------------------	----

Jaw Slide (w/o Pin).....	21
--------------------------	----

K

Keder.....	41
------------	----

L

Lamps.....	29
------------	----

Lift-the-DOT Fasteners.....	18
-----------------------------	----

Light Fixtures.....	29
---------------------	----

Lighting -

Egg Crate.....	29
----------------	----

Lamps.....	29
------------	----

Light Fixtures.....	29
---------------------	----

Light Wall (Tubing).....	24-25
--------------------------	-------

Locking, Hinge Rail / Jaw Clamp.....	21
--------------------------------------	----

LTD Hand Punch.....	37
---------------------	----

M

Makrolon AR.....	16, 44
------------------	--------

Marine Grade Expanded PVC.....	43
--------------------------------	----

Marine Grade Polyester Velcro.....	40
------------------------------------	----

Marine Track.....	22
-------------------	----

Matched Staple System.....	25
----------------------------	----

Match-Maker Corrosion Resistant Paint.....	26
--	----

Mesh (Textilene).....	15
-----------------------	----

Molding Clip.....	23
-------------------	----

Mooring Pole.....	36
-------------------	----

N

Nauticlear Extruded.....	17
--------------------------	----

Needles.....	37
--------------	----

O

OB Hinge Zinc Die Cast.....	22
-----------------------------	----

O-Rings.....	34
--------------	----

OSEA Extruded.....	16
--------------------	----

Outside Eye End.....	21
----------------------	----

Outside Eye End (Heavy Duty).....	21
-----------------------------------	----

P

Pad Eye, Cast.....	21
--------------------	----

Paint -

Match-Maker Corrosion Resistant.....	26
--------------------------------------	----

Pipe Clamp, 1".....	23
---------------------	----

Plugs, Cap.....	27
-----------------	----

Polish, IMAR Protective Polish.....	17, 37
-------------------------------------	--------

Polyester -

Cord.....	42
-----------	----

Marine Grade Velcro.....	40
--------------------------	----

Sunguard Thread.....	38
----------------------	----

Tape.....	40
-----------	----

Polyethylene Tubing.....	41
--------------------------	----

Polypropylene Webbing.....	39
----------------------------	----

Post Socket, 1".....	23
----------------------	----

PRES-N-SNAP.....	35
------------------	----

PRES-N-SNAP Dies.....	34
-----------------------	----

Pull-the-DOT Fasteners.....	20
-----------------------------	----

PVC -

Marine Grade Expanded.....	43
----------------------------	----

Sign Grade Expanded.....	43
--------------------------	----

Q

Quality Marine -

Fittings.....	21
---------------	----

Tubing (Stainless Steel).....	27
-------------------------------	----

Quick Release Pin.....	21
------------------------	----

R

Rail Hinge Concave Base.....	21
------------------------------	----

Recacril Binding.....	39
-----------------------	----

Recacril Design Line.....	12-13
---------------------------	-------

Recasens -

Decorline Furniture Fabric.....	14
---------------------------------	----

Recacril Binding.....	39
-----------------------	----

Recacril Design Line.....	12-13
---------------------------	-------

RecScreen Shade Screen.....	14
-----------------------------	----

RecWater Waterproof Fabric.....	14
---------------------------------	----

RecScreen Shade Screen.....	14
-----------------------------	----

Recasens RecSystem.....	14
-------------------------	----

RecWater Waterproof Fabric.....	14
---------------------------------	----

Regalite.....	16
---------------	----

Rigid Sheeting -

Alupanel.....	44
---------------	----

Makrolon AR.....	44
------------------	----

PVC.....	43
----------	----

Seaboard.....	43
---------------	----

Rivet Stud.....	19
-----------------	----

Rod and Rafter Holder.....	23
----------------------------	----

Rod Stock.....	27
----------------	----

S

Screw Drivers -

CS Hand Screw Driver.....	37
---------------------------	----

CS Power Screw Driver.....	37
----------------------------	----

Screw Studs -

DOT Durable.....	19
------------------	----

Lift-the-DOT.....	18
-------------------	----

Pull-the-DOT.....	20
-------------------	----

Seaboard (HDPE).....	43
----------------------	----

Seaquest.....	15
---------------	----

Seam-Tape.....	40
----------------	----

Sign Grade Expanded PVC.....	43
------------------------------	----

Slip Fit Tee, 1".....	23
-----------------------	----

Snap Lubricant.....	35
---------------------	----

Sockets -

DOT Durable.....	19
------------------	----

Lift-the-DOT.....	18
-------------------	----

Pull-the-DOT.....	20
-------------------	----

1" Post.....	23
--------------	----

Solid Braid Polyester.....	42
----------------------------	----

Spools, Sunguard.....	38
-----------------------	----

Spray Paint.....	26
------------------	----

Stainless Steel -

Staples.....	33
--------------	----

Tubing (Quality Marine).....	27
------------------------------	----

Standard Tubing Bender.....	36
-----------------------------	----

Standard Wall (Tubing).....	24-25
-----------------------------	-------

Staple Guns -

#7 Fasco (Short Nose).....	33
----------------------------	----

#7 Fasco (Long Nose).....	33
---------------------------	----

#92.....	33
----------	----

Staples -

#7.....	33
---------	----

S (Cont.)

Studs (Cont.) -	
Lift-the-DOT	18
Pull-the-DOT	20
Sun Fabric	10
Sunguard Thread	38

T

Tapes -	
Seam	40
VHB	41
Tee, Slip Fit	23
Thread, Sunguard	38
Threaded -	
Elbow	22
Eye End	22
Tie-Down Clamps	23
Tools -	

Air Hammer	36
Boat Vent II	36
Canvas Snap Tool	35
CS Hand Punch	37
CS Hand Screw Driver	37
CS / LTD Hand Punch	37
CS Power Screw Driver	37
Deluxe Tubing Bender	36
Fabric and Vinyl Cleaner	37
Fabric Guard	37
Grommet Dies	35
Grommet Hand-Press	35
IMAR Protective Cleaner	37
IMAR Protective Polish	37
LTD Hand Punch	37
Mooring Pole	36
O-Rings	34
PRES-N-SNAP	35
PRES-N-SNAP Dies	34
Snap Lubricant	35
Standard Tubing Bender	36
Vice Grip Tensioning Clamp	36
#7 Fasco Air Stapler (Short Nose)	33
#7 Fasco Air Stapler (Long Nose)	33
#92 Air Staple Gun	33
#92 Galvanized Steel Staples	33
#92 Stainless Steel Staples	33

Track -

Costa Track	22
Flex-A-Rail II	22
Marine Track	22

Trimmings -

Binding	39
Braid	38
Cord	42
Facings	39
Hidem	42
Keder	41
Polyethylene Tubing	41
Tapes	40-41

Thread	38
Velcro	40
Webbing	39
Welt	42
Triplecoat Tubing	27
Tubing -	
Aluminum	24-25
Gatorshield (Galvanized Steel)	26
Polyethylene	41
Quality Marine (Stainless Steel)	27
Triplecoat (Galvanized Steel)	27
Turnbutton, Common Sense	18-19

U

Universal Deck Hinge	21
----------------------------	----

V

Valmex -	
Valmex Binding	39
Valmex Facings	39
Valmex Nautica Light	11
Valmex Nautica Light (B/S)	11
Valmex Nautica Linen	11
Valmex Nautica Heavy	11

Velcro -

General Purpose Nylon	40
Marine Grade Polyester	40
VHB Tape	41
Vice Grip Tensioning Clamp	36
Vinyl Cleaner	17, 37
Vinyl Inserts	30
Vinyl Window Cleaner	
IMAR Products	17, 37

Vinyl Window Clear

Fire Rated Extruded	17
General Purpose Calendered	17
Makrolon AR	16, 44
Nauticlex Extruded	17
Regalite Extruded	16
OSEA Extruded	16
VIP Fabric	12

Vislon -

Sliders	30
Tapes	30
#8 Separating Zippers	32
#10 Separating Zippers	31-32

W

Wall -	
Heavy	24-25
Light	24-25
Standard	24-25
Washers -	
Common Sense	19
Lift-the-DOT	18
Weatherlyte	8
Weatherlyte Lite	8
Webbing	39

Weld Wire	36
Welded Flap	41
Windshield Clips -	
DOT Durable	20
Lift-the-DOT	18
Welt	42

Z

Z-Brackets	28
Zipper Accessories -	
Zipper Topstops	32
#5 Vislon Sliders Single Pull	30
#5 Vislon Tape	30
#10 Coil Sliders Double Pull	31
#10 Coil Sliders Single Pull	31
#10 Coil Tape	31
#10 Vislon Sliders Double Pull	30
#10 Vislon Sliders Single Pull	30
#10 Vislon Tape	30
Zippers -	
#8 Separating Vislon Zippers	32
#10 Separating Vislon Zippers	31-32
Zipper Topstops	32

Numerical

1/2" Head Rod Clamp	23
1/2" Round Solid Aluminum Rod	24
1" Adjustable Front Bar Fitting	23
1" Corner Elbow	23
1" Front Bar Clamp	23
1" Pipe Clamp	23
1" Post Socket	23
1" Slip Fit Tee	23
#2 Self-Piercing Grommet Die Set	35
#2 Self-Piercing Grommets	20
#5 Vislon Sliders Single Pull	30
#5 Vislon Tape	30
#7 Fasco Air Stapler (Long Nose)	33
#7 Fasco Air Stapler (Short Nose)	33
#7 Stainless Steel Staples	33
#8 Separating Vislon Zippers	32
#10 Coil Sliders Double Pull	31
#10 Coil Sliders Single Pull	31
#10 Coil Tape	31
#10 Separating Vislon Zippers	31-32
#10 Vislon Sliders Double Pull	30
#10 Vislon Sliders Single Pull	30
#10 Vislon Tape	30
90dg. Deck Hinge	21
90dg. Deck Hinge (w/o Pin)	21
#92 Air Staple Gun	33
#92 Galvanized Steel Staples	33
#92 Stainless Steel Staples	33
6696 Double Coated Polyester Tape	40
3M 4622 VHB Tape	41

**Kirk Dexter**
President

38 Years

800-327-7562

k.dexter@nepcosignsupply.com

**Richard Sutton**
General Manager

28 Years

800-327-7562 x113

r.sutton@nepcosignsupply.com

**Kaimen Blomgren**
Equipment Technician

800-327-7562 x140

k.blomgren@nepcosignsupply.com

**Lynn Diminico**
Inside Sales

22 Years

800-327-7562 x122

l.diminico@nepcosignsupply.com

**Shane Ferrara**
Inside Sales

4 Years

800-327-7562 x115

s.ferrara@nepcosignsupply.com

**Gary Martins**
Inside Sales
Sign & Awning Specialist

15 Years

800-327-7562 x121


g.martins@nepcosignsupply.com

**Gene Medeiros**
Purchasing
& Inside Sales
Sign & Awning Specialist

20 Years

800-327-7562 x131

g.medeiros@nepcosignsupply.com

**Leeana Nito**
Web & Marketing
Director

1 Year

800-327-7562 x119

l.nito@nepcosignsupply.com

The Best Support Staff in the Industry!

**Sarah Ducharme**
Purchasing10 Years
Ext. 112

s.ducharme@nepcosignsupply.com

**Mindy Baker**
Accounts
Receivable

Ext. 118

m.baker@nepcosignsupply.com

**Tony Corveno**
Office
Assistant26 Years
Ext. 136

t.corveno@nepcosignsupply.com

**Susan Dexter**
Office
Manager20 Years
Ext. 138

s.dexter@nepcosignsupply.com

**Jeanette Fernandes**
Office
Assistant15 Years
Ext. 139

j.fernandes@nepcosignsupply.com

**David Keane**
Product Returns8 Years
Ext. 125
Ext. 26

d.keane@nepcosignsupply.com

**Tom Grant**
Accounts
Receivable5 Years
Ext. 111

t.grant@nepcosignsupply.com

**Vanessa English**
Accounts
Payable

Ext. 126

v.english@nepcosignsupply.com


**Michele Achilli**
Billing1 Year
Ext. 124

billing@nepcosignsupply.com

**Jim Munro**
Warehouse
Manager &
Neon
Specialist

23 Years

warehouse@nepcosignsupply.com

**Joe Bento**
Warehouse
& Neon

14 Years

**Nancy Carroll**
Warehouse,
Deliveries &
Neon

5 Years

**Derrick Silva**
Warehouse

1 Year

**Mike Hurteau**
Warehouse
& UPS

2 Years

